Contents

Symposia

S1 Spontaneous activity

SAM Localization of Oscillatory MEG Activities in Human Brain
Ishii R, Chau W, Schulz M, Ukai S, Shinosaki K, Takeda M, Pantev C 3

The Neurophysiology of Human Spatial Navigation
Kahana MJ 5

Multivariate analyses of oscillatory responses of declarative memory and their relationship to event-related fields
Düzel E 5

EEG Oscillatory Phase, its Effects on Sensory Processing and its Modulation by Attention
Schroeder CE, Lakatos P, Chen C, Karmos G 6

S2 Working memory

Working memory: physiological characteristics of prefrontal information processing as revealed by BOLD fMRI
Callicott JH 7

MEG activation comparison to fMRI BOLD for a working memory task
Coppola R, Callicott JH, Holroyd T, Verchinski BA, Sust S, Weinberger DR 7

Working memory impairments after severe Traumatic Brain Injury: What does MEG reveal
Asloun S, Croizé AC, Ducorps A, Schwartz D, Garnero L, Azouvi P 8

Neuromagnetic Correlates of Memory Dysfunction: Lessons from the Clinic
Lewine JD, Funke M, Chong C, Thoma R, Bigler E, Canive JM 10

S3 Early stages in language processing

From vibration in the ear to abstraction in the head: early auditory analysis
Poeppel D 11

Perception and representation of speech-specific information
Eulitz C 11

Sensory processing in dyslexia
Renvall H 12

Early cortical processes in fluent and impaired reading
Salmelin R 12

S4 Syntax and meaning

Early lexical and syntactic processing as revealed by the Mismatch Negativity: lMMNm and sMMNm
Pulvermüller F, Shtyrov Y 13

Lexical Access and Beyond: The M350
Marantz A 13

Semantic Processing of Words and Sentences
Marinkovic K 14

Representation of meaning in the brain
Rockstroh B, Assadollahi R, Löw A, Elbert T 14

S5 Clinical MCG

Clinical Multichannel MCG in Unshielded Hospital Environment
Brisinda D, Meloni AM, Fenici R 15

Detection of Coronary Artery Disease with MCG
Hailer B, Van Leeuwen P 19

MCG studies on atrial electric activity in lone atrial fibrillation
Koskinen R 23

Magnetocardiogram is a useful noninvasive tool to identify patients at high risk of atrial fibrillation and heart failure hospitalization
Yamada S, Tsukada K, Miyashita T, Jahangir A, Ishizu T, On K, Kuga K, Watanabe S, Miyauchi T, Yamaguchi I 23

S6 Short-latency sensory responses

Electromagnetic and functional characterization of the earliest somatosensory cortical responses in humans
Lin YY, Yu HS 24

Finding the fast pathways through the visual system: MEG's contributions
Stephen JM 24

Middle latency auditory evoked fields reflect dispersion effects in the cochlea
Rupp A, Sieroka N, Dau T 25

Intracranial responses in auditory cortex of the monkey and human: Potential impact on interpretation of MEG
Steinschneider M, Howard MA 25

S7 The role of auditory coding in auditory processing

Static and dynamic representation of complex sounds: from tonotopy to musical notes
Fujioka T, Trainor LJ, Ross B, Kakigi R, Pantev C 26

Sounds of one hand clapping
Raij T 26

Specificity for pitch and other sound features in subdivisions of human auditory cortex?
Gutschalk A 27

Plastic change of auditory coding: Effect of hearing loss and developmental change
Nagamine T, Fujiki N, Morita T, Takeshita K 27

S8 Visual attention and integration

Resolving multiple simultaneous sources of visual evoked magnetic fields
Ahlfors SP 28

MEG and ERP correlates of visual motion and object-related attention
Schönfeld MA 28

Neural mechanisms of attentional focusing in visual search
Hopf J 29

Temporal Dynamics of Attention/Working Memory
Aine CJ 29

S9 MEG instrumentation

Magnetic Imaging of Action Currents and Potentials in reveal the bidomain properties in cardiac tissue
Baudenbacher F, Holzer JR, Sidorov VY, Fong L 30

SQUID vs. Optically Pumped Magnetometer: a comparison of system performance
Bison G, Pasquarelli A, Weis A, Erné SN 31

Magnetoencephalography with an atomic magnetometer
Romalis MV, Ben-Amar Baranga A, Hoffman DE 33

Argos 500: Operation of a Helmet Vector-MEG
Pasquarelli A, Rossi R, De Melis M, Marzetti L, Trebeschi A, Erné SN 34

Advanced electronics for the CTF MEG system
McCubbin J, Vrba J, Spear P, McKenzie D, Willis R, Loewen R, Robinson SE, Fife AA 36

Active Shielding Method for an MEG device
Simola J, Taulu S, Parkkonen L, Kajola M 38

Instrumentation for Simultaneous Detection of Biomagnetic and Nuclear Magnetic Resonance Signals in Microtesla Magnetic Fields
Matlachov AN, Volegov PL, Espy MA, George JS, Kraus RH Jr. 39

S10 Cortical plasticity after CNS lesions

Successful Neurorehabilitation Therapy May Recruit Dysfunctional Brain Areas
Elbert T, Bulach D, Urswatte G, Meinzer M, Taub E, Rockstroh B 41

Brain sensorimotor hand area organization and functionality in acute stroke: insights from MEG
Tecchio F, Zappasodi F, Pasqualetti P, Oliviero A, Salustri C, Lupoi D, Ercolani M, Romani GL, Pizzella V, Rossini PM 42

Spatiotemporal patterns of movement-related fields in stroke patients
Kotani K, Kinomoto Y, Yamada M, Deguchi J, Tonoike M, Horii K, Miyatake S, Kuroiwa T, Noguchi T 44

Intensive language training enhances brain plasticity in chronic aphasia
Meinzer MF, Elbert TR, Wienbruch C, Djundja D, Rockstroh B 46

The influence of brain tumor treatment on pathological activity in MEG
de Munck JC, de Jongh A, Baayen JC, Heethaar RM, Vandertop WP, Stam CJ 46

S11 Pain perception in humans

MEG response following epidermal needle stimulation
Inui K, Kakigi R 47

EEG and MEG responses following stimulation of unmyelinated C fibers
Qiu Y, Inui K, Tran TD, Wang X, Kakigi R 49

Neuroimaging of Pain
Davis KD 51

Psychophysiological state dependency of pain-relevant brain activity revealed by functional neuroimaging
Lorenz J 51

S12 MEG in epilepsy research and diagnosis

Advantages of MEG to Investigate Complex Epilepsy: An Overview
Nakasato N 52

MSI yields an additional tool for successful presurgical evaluation of frontal lobe epilepsy
Ossenblok P, de Munck JC, Leijten FSS, de Jongh A, Colon A, Boon P 52

Whole Head MEG and EEG in the Presurgical Evaluation of Epilepsy Patients: A Prospective Study
Knake S, Stufflebeam SM, Shiraishi H, Grant PE, Hara K, Witzel T, Carr VA, Foxe D, Busa E, Hämäläinen MS, Ahlfors SP, Camposano S, Schomer DL, Bromfield EB, Dworetzky BA, Madsen JR, Cosgrove RG, Black PL, Bourgeois BF, Larsson PG, Cole AJ, Thiele E, Dale A 53

MEG in Presurgical Evaluation
Scheler G, Fischer MJM, Hummel C, Stefan S 53

S13 Impaired auditory processing in schizophrenia: Core deficit or correlated phenomenon?

Auditory Sensory Gating Deficit and Cortical Thickness in Schizophrenia
Thoma RJ, Hanlon FM, Sanchez N, Weisend MP, Huang M, Jones A, Parks LK, Miller GA, Canive JM 54

Spectro-temporal neuromagnetic and hemodynamic correlates of impaired P50 suppression in schizophrenia
Mathiak K, Ackermann H, Rapp A, Klose U, Kircher TTJ 57

Inherited auditory-cortical abnormalities in twin pairs discordant for schizophrenia
Ahveninen J, Jääskeläinen IP, Osipova D, Huttunen MO, Ilmoniemi RJ, Kaprio J, Lönnqvist J, Manninen M, Pakarinen S, Therman S, Näätänen R, Cannon TD 58

A specific reduction in the sustained 40Hz magnetic field power in schizophrenia
Stufflebeam SM, Witzel T, Lin FH, Foxe DM, Spencer K, McCarley RC 60

S14 Transcranial magnetic stimulation

Multimodality Studies of Simple Movement
Hallett M 61

Neural connectivity and its modulation by transcranial magnetic stimulation of the human frontal cortex
Paus T 61

Combined EEG-TMS technique to study brain-behavior relations
Pascual-Leone A, Thut G 62

Linking changes in cortical excitability with changes in neuronal activity using a combined TMS-neuroimaging approach
Siebner HR 62

Workshops

W1 DC phenomena

DC Magnetic Fields from the Human Body generally: A Historical Overview
Cohen D 65

Imaging DC MEG Fields Associated with Epileptic Onset in Rat
Weiland B, Bowyer SM, Moran JE, Jenrow K, Tepley N 69

Spreading Cortical Depression (SCD) from Pathophysiology: Can We Detect Signals Non-invasively Using DC-MEG?
Bowyer SM 70

The discovery of slowness – recent progress in DC-MEG research
Mackert BM 72

Concurrent DC-Magnetoencephalography and Near-Infrared Spectroscopy for the Study of Slow Brain Activity
Sander TH, Liebert A, Wabnitz H, Burghoff M, Macdonald R, Trahms L, Leistner S, Curio G, Mackert BM 75

W2 Magnetic particles

Magnetic Particles in Cells, Animals and Humans: Past, Present, and Future
Brain JD 77

Forcing Magnetic Particles in Cells: A Powerful Tool for Studying Cell Mechanics
Fabry B 77

Magnetic Microbeads and Intra-cellular Stress Tomography
Wang N 78

Microrheology of the living cell: are we built of glass?
Fredberg JJ, Fabry B, Butler JP 79

W3 Towards clinical application of perinatal MCG/MEG

Perinatal MCG/MEG: What have we achieved to date?
Wakai RT 80

Fetal and Newborn Magnetoencephalography
Schleussner E 80

Current-Arrow Maps in Fetal Magnetocardiography: A Clinically Useful Tool in Fetal Cardiology
Hosono T, Kandori A, Chiba Y, Tsukada K 81

Fetal magnetocardiography: time intervals and heart rate variability
Van Leeuwen P 85

Fetal Magnetocardiography: The Clinician's Viewpoint
Sreeram N, Brockmeier K 89

W4 MCG instrumentation, modeling, and signal processing

Magnetic Imaging of Action Currents and Potentials in reveal the bidomain properties in cardiac tissue
Baudenbacher F, Holzer JR, Sidorov VY, Fong L 92

Effects of imaging area in the identification of electrical propagation in atrial tissue using a multichannel SQUID system
Costa Monteiro E, Andrade Lima E, Hall Barbosa C, Eiselt M, Gießler F, Flemming L, Bystronski MF, Haueisen J 93

Separation of Normal and Ectopic FMCG Rhythms Using Independent Component Analysis
Campbell JQ, Eswaran H, Preissl H, Wilson JD, Best T, Murphy P, Lowery CL *95*

Changes in Magnetocardiogram Patterns of Infarcted-Reperfused Myocardium after Injection of Superparamagnetic Contrast Media
Brazdeikis A, Chu CW *96*

Noise Reduction for the Vector-MCG-Device ARGOS 200
Nowak H, Hilgenfeld B, Liehr M, Rossi R, Trebeschi A, Haueisen J *98*

Discrimination of multiple sources using a SQUID vector magnetometer
Burghoff M, Schnabel A, Drung D, Thiel F, Knappe-Grüneberg S, Hartwig S, Kosch O, Trahms L, Koch H *99*

W5 Intrinsic and synaptic currents in MEG generation

Generating mechanisms of MEG and EEG signals at the single cell level in hippocampus and neocortex revealed by computational models
Murakami S, Okada Y *101*

Generation of corticothalamic oscillations
Amzica F, Steriade M *101*

Synaptic/trans-membrane and cellular properties of paroxysmal events in the human neocortex
Ulbert I, Halgren E *102*

A Single-column Thalamocortical Network Model Exhibiting Gamma (30-70 Hz), Epileptic Bursts and Spindles
Traub RD, Contreras D, Bibbig A, Whittington MA *102*

W6 To and Fro in EEG and MEG

Anisotropic conductivity influences EEG/MEG source reconstruction
Haueisen J, Güllmar D, Reichenbach JR, Schimpf PH, Ramon C *103*

Efficient Computation of Lead Field Bases and Influence Matrix for the FEM-based EEG and MEG Inverse Problem
Wolters CH, Grasedyck L, Anwander A, Hackbusch W *104*

A Review on the Importance of Volume Currents
Mosher JC *108*

Generic Head Models for Atlas-Based EEG-Source Analysis
Darvas F, Leahy RM *109*

W7 Inverse solutions I

Multiple source analysis of MEG and EEG data: Tools for validation
Scherg M, Berg P, Weckesser D, Hoechstetter K, Bornfleth H, Ille N, Bast T *112*

Reliable Automatic Estimation of the Multiple Dipole Sources
Huang M *112*

An overview of beamformer approaches: formulations, underlying assumptions, and major causes of errors
Sekihara K *113*

Employing beamformers in coherence analysis
Gross J *113*

W8 Inverse solutions II

Characteristics of Distributed Inverse Solutions
Wagner M *114*

Bayesian Approaches to the MEG/EEG Inverse Problem
Schmidt DM *114*

Assessing the reliability of inverse solutions
Leahy RM *115*

Physiological and anatomical prior information for EEG and MEG inverse modeling
Dale AM *115*

W9 Relating electromagnetics and hemodynamics

Comparison of fMRI and MEG characteristics to vibrotactile stimulation
Tuunanen PI, Kavec M, Jousimäki V, Vidyasagar R, Usenius JP, Hari R, Salmelin R, Kauppinen RA *116*

Neurovascular transfer function in space and time: the linearity and localization
Devor A, Ulbert I, Dunn AK, Narayanan SN, Andermann ML, Boas DA, Dale AM *116*

Cerebrovascular disease affects the coupling between neuronal activity and local haemodynamics: an MEG-fMRI-TCD study
Tecchio F, Altamura C, Vernieri F, Ferretti A, Zappasodi F, Caulo M, Pizzella V, Torquati K, Tibuzzi F, Del Gratta C, Romani GL, Rossini PM *117*

W10 Validation of measures of neural activity in the absence of a gold standard

From cortical neuronal sources to MEG fields -physiological bridges and hurdles
Lopes da Silva F *121*

Focal hemodynamic measures of P3a and P3b event-related potentials
Kiehl KA *121*

Are intracranial recordings of neural activity the gold standard for validating MEG measures?
Halgren E *122*

Correspondence of MEG, ERP measures and fMRI, PET measures of neural activity
Puce A *126*

W11 Action in space

The Parieto-Frontal Interplay in the Control of Movement
Caminiti R *127*

Neurophysiology of the Parieto-Frontal system during target interception
Merchant H, Battaglia-Mayer A, Georgopoulos AP *128*

Schizophrenia and Hallucinations: Evidence from Event Related Brain Potentials and Functional Magnetic Resonance Imaging
Ford JM, Mathalon DH *131*

MEG Predicts Movement Trajectory in Space
Georgopoulos AP, Langheim FJP, Leuthold AC, Merkle A *131*

W12 High-frequency oscillations

Exploring the physiology and function of the fastest rhythm (300-900 Hz) in the human brain
Hashimoto I *132*

A new clock speed for neural computation: Submillisecond synchronization of fast electrical oscillations in neocortex
Barth DS *132*

Strong non-synaptic coupling between the axons of excitatory neurons in the cortex: a novel form of neuronal communication
Traub RD *133*

LTP in the somatosensory cortex revealed by high frequency signals
Okada Y, Yaozhi Wang, Hosler G, Ikeda H *133*

W13 Functional connectivity

Can MEG be used to measure connectivity in the brain?
van Dijk BW *134*

Tomographic mapping of functional connectivity from magnetoencephalographic recordings
Schnitzler A *134*

Studying effective connectivity with a neural mass model of evoked MEG/EEG responses
David O, Harrison L, Kilner J, Penny W, Friston KJ *135*

The temporal dimension of functional links
Linkenkaer-Hansen K *139*

Diffusion MRI of White Matter Circuitry
Tuch DS *139*

W14 Paced movements

Neuromagnetic Imaging of Self-Initiated vs. Visually Cued Movements
Gaetz W, Robaey P, Schacher R, Cheyne D *140*

The Cerebral Network of Paced Movements
Pollok B, Gross J, Schnitzler A *141*

Cortico-muscular gamma-frequency coherence is correlated with instantaneous target probability
Schoffelen JM, Oostenveld R, Fries P *143*

Impacts of fatigue on synchronization between MEG and EMG
Boonstra TW, Daffertshofer A, Beek PJ *143*

Pathological oscillatory coupling within the human motor system in different tremor syndromes as revealed by magnetoencephalography
Timmermann L, Gross J, Butz M, Kircheis G, Haussinger D, Schnitzler A *144*

Posters 1

P1-1 Signal processing

Topographic classification of EEG patterns in Huntington's disease
Bellotti R, De Carlo F, Massafra R, de Tommaso M, Sciruicchio V *149*

Detection of Power Changes Between Conditions using Split-Half Resampling for Synthetic Aperture Magnetometry Data
Chau W, Herdman AT, Picton T *151*

Noise Reduction in MEG Data Recorded by a New 500-Channel MEG Vectorgradiometer System
DeMelis M, DeCesaris I, DiPietroPaolo D, Müller HP, Nolte G, Erné SN *153*

Noise Reduction in MCG data by Singular Value Decomposition and Independent Component Analysis
DiPietroPaolo D, Müller HP, Nolte G, DeCesaris I, Erné SN *155*

Rejection of stimulus-related MEG artifacts using independent component analysis
Iwaki S, Yamamoto C, Tonoike M, Yamamoto TS *157*

Magnetic Noise Rejection Method using Independent Component Analysis for the Magnetocardiogram - magnetic noise by the wire for the operation
Kobayashi K, Yamazaki K, Uchikawa Y, Simizu T, Nakai K, Yoshizawa M *159*

Elimination of Brain Noise from MEG Data using ICA with Robust Pre-Whitening Technique
Konno Y, Cao J, Tanaka M, Takeda T, Endo H *161*

Automatic Artifact Component Removal Using a Neural Network in MCG Signal
Lee DH, Kim TH, Ahn CB *163*

MEG Latency Difference Measurement for Priming Experiments
Matani A, Hayakawa T, Munetsuna S, Fujimaki N *165*

Noise Reduction in Stress MCG Data by Independent Component Analysis
Müller HP, DeCesaris I, DeMelis M, Nolte G, Erné SN *167*

Removal of the Baseline Drift in Magnetocardiogram Using the Morphological Filter
Mun KW, Lee YH, Kim K, Kwon H, Kim JM *169*

A Grid Computing Infrastructure for MEG Data Analysis
Nakagawa S, Kosaka T, Date S, Shimojo S, Tonoike M *171*

The Use of Non-parametric Statistics for Signal Subspace Detection in MEG/EEG
Ossadtchi A, Pflieger ME *173*

Spatiotemporal noise covariance model and its application to MEG/EEG source analysis
Plis SM, George JS, Jun SC, Paré-Blagoev J, Ranken DM, Schmidt DM, Wood CC *175*

QRS-Fragmentation Detected by Filtering with Binomial Non-Recursive Filters
Schless BG, DiPietroPaolo D, Müller HP, Pasquarelli A, DeMelis M, Erné SN *177*

Magnetocardiographic Study of Heart Repolarization Disturbances
Schless BG, Zhu R, DeMelis M, Müller HP, Pasquarelli A, DiPietroPaolo D, Erné SN *179*

Spatial-Temporal Analysis of Nonstationary fMEG Data
Sonid P, Chand Y, Preissl H, Eswaran H, Wilson JD, Murphy P, Lowery CL *181*

MEG Recordings of DC Fields Using the Signal Space Separation Method (SSS)
Taulu S, Simola J, Kajola M *184*

Software Magnetic Shield by the Signal Space Separation method (SSS)
Taulu S, Kajola M, Simola J *186*

Model selection in spatio-temporal electromagnetic source analysis
Waldorp LJ, Huizenga H, Nehorai A, Grasman RPPP, Molenaar PCM *188*

Time-Frequency and Coherence Analysis of fMEG Signals
Wu X, Chan Y, Preissl H, Eswaran H, Wilson JD, Murphy P, Lowery CL *190*

Influence of prandial state in intragastric distribution of a small volume evaluated by AC Biosusceptometry.
Américo MF, Oliveira RB, Baffa O, Corá LA, Paixão FC, Miranda JRA *193*

Surface-based representation of human intracranial EEG signals: electrode projection and volume conduction maps
Bauchet F, Bidet-Caulet A, Fischer C, Bertrand O *193*

Magnetic Images of the Disintegration Process of Tablets by AC Biosusceptometry
Corá LA, Romeiro FG, Américo MF, Baffa O, Stelzer M, Miranda JRA *194*

Application of selective averaging by single trial cross-correlation for the robust extraction of transient evoked magnetic fields
Ferrari P, Sussman M, Roberts TPL *194*

Synchronization Tomography: model calculations of spatial resolution and noise tolerance; optimization of source localization
Fieseler T, Dammers J, Tass PA *195*

QRS-Fragmentation Detected by Filtering with Binomial Non-Recursive Filters A new method of noise reduction using independent component analysis and wavelet transformation
Inoue G, Honda S, Kunihiro T, Aoyama A *195*

The MEG signal you record is what is
Ioannides AA, Burbank M *196*

A Study on Wavelet Filtering of fMRI Multimodal Imaging with Spectral Noise
Kang S *196*

Imaging and Detection of Oscillatory Activity in MEG using Time-Frequency Analysis and Permutation Tests
Pantazis D, Hough M, Nichols TE, Simpson GV, Leahy RM *197*

Movement correction in MEG
Taulu S, Kajola M, Simola J *197*

Phase resetting tomography: A method for three-dimensional localization of stimulus-locked complex responses and transient synchronization with MEG
Tass PA, Fieseler T, Dammers J, Barnikol U, Dolan K, Schiek M, Boers F, Muren A, Wuttich S, Zilles K, Niedeggen M *198*

Single-trial analysis by a complex filtering approach: examination by auditory evoked M100
Trahms L, Salajegheh A, Link A, Elster C, Burghoff M, Sander T, Poeppel D *198*

P1-2 MEG: Spontaneous activity

A new Algorithm for Detection of Coherent Brain Areas with MEG
Belardinelli P, Ciancetta L, Pizzella V, Del Gratta C, Romani GL *200*

Cortical rhythms in AD, LBD and old normal subjects: a quantitative MEG study
Franciotti R, Iacono D, Della Penna S, Pizzella V, Torquati K, Onofrj M, Romani GL *202*

Spectral Analysis of Localized Slow Waves Observed in Patients Suspected of Cerebral Ischemia
Hatanaka K, Tamafuri K, Seki S, Ohtomo S, Kanno A, Nakasato N *204*

Chaotic Analysis Approach In Neonatal Magnetoencephalography
Kotini A, Adamopoulos A, Koutlaki N, Avgidou K, Anninos P, Anastasiadis P *206*

Alterations in Power Distributions Reflect Symptom Changes in Schizoaffective Disorder
Schulman JJ, Ramirez R, Cancro R, Ribary U, Llinás R *208*

Dynamic Statistic Parameter Maps of Spontaneous Alpha and Mu Rhythms
Chen CC, Dale AM, Halgren E *210*

The influence of brain tumor treatment on pathological activity in MEG
de Munck JC, de Jongh A, Baayen JC, Heethaar RM, Vandertop WP, Stam CJ *210*

MEG Imaged Brain Activation during the Transition from Wake to Sleep
Drake CL, Moran JE, Scofield H, Tepley N, Roth T *211*

The temporal dimension of functional links
Linkenkaer-Hansen K *211*

The effect of body mass on insulin sensitivity in the cerebral cortex of humans
Preiss H, Tschritter O, Marx H, Frost R, Fritsche A, Lutzenberger W, Häring HU, Stumvoll M, Birbaumer N *212*

Tinnitus related distress correlates with fronto-temporal alpha reduction and delta enhacement as measured by magnetencephalography
Weisz N, Moratti S, Keil A, Meinzer M, Elbert T *212*

P1-3 MEG: Memory and cognition

Working Memory Processing In Normal Subjects and Subjects with Dyslexia
Bowyer SM, Lajiness-O'Neill R, Weiland B, Mason KM, Tepley N *213*

Neural Correlates of Event Related Distractions During A Driving Task Using MEG
Bowyer SM, Hsieh L, Moran JE, Chiang YR, Young RA, Tepley NS *215*

An MEG Study of the Spatiotemporal Dynamics of Feature Binding
Filbey FM, Holroyd T, Slack K, Maltzman L, Coppola R, Sunderland T, Cohen RM *217*

A Study of Visual Tasks to Measure MEG Signals Associated with Memory Functions
Higuchi M, Hatsusaka N *219*

Probing awareness by regional neural-coupling based on linearly independent beamformer projection of MEG data
Holroyd T, Hendler T, Espen M, Ungerleider LG *221*

MEG analysis of "Theory Of Mind" in Emotional Vignettes Comprehension
Ishii R, Gojmerac C, Gallup GG Jr, Alexander MP, Stuss DT, Pantev C *223*

Cortical Processing Differences in Attention-Deficit Hyperactivity and Normal Control Subjects
Nagel SM, Bowyer SM, Moran JE, Tepley N *225*

MEG study on the perception of rhythm and its expression in authentic music
Popescu M, Otsuka A, Ioannides AA *227*

Effect of Working Memory Load on MEG coherence
Tanaka K, Kawakatsu M, Yunokuchi K *229*

An Analysis of Logical Process of 3D Virtual Imaging Creation - A Parametric fMRI Study
Wang L *231*

Activity in the Cingulate Region Immediately Prior to Making Response in a Working Memory Task
Altamura M, Elvevåg B, Holroyd T, Carver FW, Pezawas L, Cohen JR, Mattay V, Goldberg TE, Weinberger DR, Coppola R *233*

Working memory impairments and severe Traumatic Brain Injury: what does MEG reveal
Asloun S, Croizé AC, Ducorps A, Schwartz D, Garnero L, Azouvi P *233*

MEG and fMRI Evidence of Working-Memory Networks in Children
Ciesielski KT, Lesnik PG, Ahlfors SP *234*

MEG activation comparison to fMRI BOLD for a working memory task
Coppola R, Callicott JH, Holroyd T, Verchinski BA, Sust S, Weinberger DR *234*

Spatio-temporal organisation of frontal cortical areas underlying different levels of cognitive control
Croizé AC, Burnod Y *235*

Neural Dynamics Underlying Time Estimation in an Auditory Oddball Task
Elvevåg B, Carver FW, Altamura M, Holroyd T, Mattay V, Goldberg TE, Weinberger DR, Coppola R *235*

Object Priming-Related Changes in Cortical Synchronization
Gilbert J, Holroyd T, Carver FW, Bellgowan P, Martin A *236*

Equivalent current dipole estimation from human brain magnetic evoked responses to visual and auditory stimuli as part of a short-term memory task
Gjini K, Maeno T, Iramina K, Ueno S *236*

Electrophysiological Correlates and Neuronal Substrates of the Perception of Musical Phrase Structure
Knösche TR, Neuhaus C, Haueisen J *237*

Encoding of Visual Features and Their Conjunctions: An fMRI and MEG Study
Kovacevic S, Clark VP, Okada Y, Partridge LD, Aine CJ *237*

Transient and Steady-State magnetic fields following combined audio-electrical stimulation
Schulz M, Ross B, Pantev C *238*

Cortical rhythms of rhythmical tune tapping
Schulz M, Ross B, Wollbrink A, Chau W, Fujioka T, Ishii R, Pantev C *238*

Coherence Analysis Reveals Brain Networks Associated with Learning to Entrain Movement to Visual Cues
Tesche CD, Martin T, Houck JM, Ilmoniemi RJ *239*

The study of working memory with a novel method of stimulus presentation
Weisend MP, Hanlon FM, Huang MX, Thoma RJ, Lee RR, Miller GA, Canive JM *239*

P1-4 DC Phenomena

Cortical Hyperexcitability in a Migraine patient before and after Sodium Valproate Treatment
Bowyer SM, Mason KM, Moran JE, Tepley N, Mitsias PD *240*

Tonic motor cortex activation during fast and slow finger movements analyzed by simultaneous DC-Magnetoencephalography (DC-MEG) and DC-Electroencephalography (DC-EEG)
Leistner S, Sander T, Burghoff M, Curio G, Trahms L, Mackert BM *242*

Technique for the direct measurement of dc-like magnetic biosignals demonstrated by the cold reflex of the abdomen
Schnabel A, Thiel F, Mueller W, Burghoff M *244*

DC-Magnetoencephalography: direct measurement in an extremely magnetically shielded room
Burghoff M, Sander TH, Schnabel A, Drung D, Mackert BM, Curio G, Trahms L *246*

Imaging of the liver iron concentration by using an AC bio-susceptometer
Della Penna S, Pentiricci A, Cianflone F, Del Gratta C, Erné SN, Romani GL *246*

Concurrent DC-Magnetoencephalography and Near-Infrared Spectroscopy for the Study of Slow Brain Activity
Sander TH, Liebert A, Wabnitz H, Burghoff M, Macdonald R, Trahms L, Leistner S, Curio G, Mackert BM *247*

Imaging DC MEG Fields Associated with Epileptic onset in Rat
Weiland B, Bowyer SM, Moran JE, Jenrow K, Tepley N *247*

P1-5 Magnetic particles and magnetic fields from other organs and non-human sources

Cell Magnetometry for an Evaluation of Toxicity of Man-Made Mineral Fibers
Aizawa Y, Kudo Y, Shinji H, Okada M, Sugiura Y, Komatsu Y, Kotani M *248*

In vivo tissue characterization using magnetic techniques
Carneiro AA, Fernandes JP, Araújo D, Baffa O, Elias J Jr., Pierre G St., Ribeiro LT, Santos AC, Covas DT *250*

The Colon Transit Time in Different Phases of the Menstrual Cycle: Assessed with Biomagnetic Technique
Córdova-Fraga T, Huerta-Franco R, Gutiérrez-Juárez G, Sosa-Aquino M, Vargas-Luna M *253*

Binding kinetics of magnetic nanoparticles on latex beads and yeast cells studied by magnetorelaxometry
Eberbeck D, Bergemann C, Hartwig S, Steinhoff U, Trahms L *255*

Interaction of Artificial Metallic Objects with Biosusceptometric Measurements
Engelhardt R, Fung EB, Kelly P, Biehl TR, Pakbaz Z, Harmatz P, Fischer R *257*

Magnetocardiography of animals in magnetically shielded environment with active compensation
Horng HE, Liao SH, Hsu SJ, Yang HC, Jeng JT, Wu CC *259*

On-line localization magnetic markers for clinical applications and drug delivery studies
Kosch O, Weitschies W, Trahms L *261*

Development of a magnetic field measurement system for small animal lungs
Kotani M, Zheng Y, Aizawa K, Kudou Y *263*

Cytomagnetometric Study of Interactions of the Cytoskeletal Filaments
Nemoto I, Kawamura K *265*

Development of a Portable Pneumomagnetic Measurement Device
Zheng Y, Kotani M, Utsukawa Y, Nakadate T *267*

Caecal Contraction Activity and Feed Transit Time in Rabbits (Oryctolagus cuniculus), by AC Biosusceptometry (ACB)
Andreis U, Moraes R, Corá LA, Américo MF, Baffa O, Spadotto AJ, Paixão FC, Miranda JRA *269*

Biomagnetic measurements of possible transnodal spreading of action potential in green algae Chara corallina
Baudenbacher F, Fong LE, Jazbinsek V, Thiel G, Trontelj Z *269*

Analysis of Propagation of Gastric Magnetic Fields
Bradshaw LA, Myers AG, McDowell JG, Richards WO *270*

Identification of Magnetic Field Injury Currents in Ischemic Small Intestine
Bradshaw LA, Roy OP, Myers AG, McDowell JG, Wikswo JP, Richards WO *270*

An Anatomically Based Model for MGG Simulation
Buist ML, Cheng LK, Yassi R, Pullan AJ *271*

Measurement of Magnetic Fields of Compound Nerve Action Current Using High Resolution SQUID
Iramina K, Tatsuoka H, Ueno S *271*

Influence of ac magnetic fields on MNP-bearing solitary cells
Glöckl G, Trahms L, Weitschies W *272*

Passive room temperature sensor for oral drug tracking and delivery studies
Kumar S, Avrin WF, Hecht D, Bennett S, Walsh D *272*

In Vivo Magnetic Marker Monitoring of Hydrophilic Gel Matrix Tablets
Söderlind E, Weitschies W, Abrahamsson B, Mönnikes H, Fach K, Kosch O, Trahms L *273*

Posters 2

P2-1 MEG: Language

Neuromagnetic Signatures of Verbs
Assadollahi R, Rockstroh B *277*

Neuromagnetic sensitivity to anomalous vowel nasalization in English
Flagg E, Oram Cardy J, Ferrari P, Roberts TPL *280*

The Effect of Word Familiarity on Visually Evoked Magnetic Fields
Harada N, Nakagawa S, Iwaki S, Yamaguchi M, Tonoike M *282*

Cortical oscillations modulated by congruent and incongruent audiovisual stimuli
Herdman AT, Fujioka T, Chau W, Ross B, Pantev C, Picton TW *284*

Multi-Language Area Activities in Sentence Reading
Kuriki S, Watanabe N, Takeuchi F, Hagiwara H, Soshi T, Kouso A *286*

Auditory evoked field responses in the left hemisphere to morphosyntactic violation in Korean senstence
Kwon H, Kim JM, Lee YH, Kim K, Park YK, Nam K, Kuriki S *288*

Head Position in the MEG Helmet Affects the Sensitivity to Anterior Sources
Marinkovic K, Cox B, Reid K, Halgren E *290*

MEG Evidence for Phonological Underspecification
Walter MA, Hacquard V *292*

Spatiotemporal analysis of neuromagnetic activation associated with mirror reading
Xiang J, Holowka S, Chuang S *294*

MEG Evidence that Age of Language Learning Does Not Matter
Cuervo MC, Flynn S, Jacobs K, Leung B, Schultz M *296*

Compound words and structure in the lexicon: an MEG investigation
Fiorentino R, Poeppel D 296

Hemispheric language dominance in patients with focal epilepsies: a prospective MEG study
Foxe DM, Knake S, Hara K, Camposano S, Grant PE, Bromfield EB, Bourgeois BF, Cole AJ, Stufflebeam SM 297

Magnetic Responses to Visually Presented Words with Masked Repetition Priming
Fujimaki N, Hayakawa T, Munetsuna S, Matani A 297

Pure alexia in stroke patients measured by MEG utilizing MR-FOCUSS
Greenwald ML, Bowyer D, Bowyer SM 298

Semantic Contextual Effects on Early Neural Activities for Visual-Word Processing
Hayakawa T, Fujimaki N, Munetsuna S 298

SAM analysis of focal oscillatory change induced by silent reading
Hirata M, Kato A, Baba T, Taniguchi M, Oshino S, Hirayama A, Sakihara K, Koreeda S, Yorifuji S, Yoshimine T 299

Right hemisphere beta and posterior alpha oscillations are modulated in a language comprehension task
Jensen O, Weder N, Bastiaansen M, Dijkstra T, Hagoort P 299

Form vs. Meaning in Visual Word Recognition: An MEG study using Masked Priming
Ko H, Wagner M, Stockall L, Kouider S, Marantz A 300

Magnetoencephalographic Study of Written Chinese Word Processing
Lin YY, Yu HY 300

Categorization of Speech and Non-speech Sounds: An MEG study
Luo H, Husain FT, Poeppel D, Horwitz B 301

Intensive language training enhances brain plasticity in chronic aphasia
Meinzer MF, Elbert TR, Wienbruch C, Djundja D, Rockstroh B 301

MEG investigation of phonological processing during reading in children and adults
Mody M, Mosher S, Ahlfors SP 302

Neuromagnetic Responses to Words Presented in Peripheral Visual field
Munetsuna S, Fujimaki N, Hayakawa T, Sasaki T 302

Morphological Decomposition in Hebrew Verbs: An MEG Masked Priming Study
Nevins A, Bachrach A, Marantz A 303

Speech intervention affects brain activity in bilingual language impaired children
Pihko E, Mickos A, Kujala T, Alku P, Byring R, Korkman M 303

An MEG correlate of word recognition
Pulvermüller F, Shtyrov Y, Ilmoniemi RJ, Marslen-Wilson W 304

Determinants Of Dominance: Is Language Laterality Explained By Physical Or Linguistic Features Of Speech? An MEG study
Pulvermüller F, Shtyrov Y 304

Time course of word meaning processing as revealed by magnetoencephalography
Pulvermüller F, Shtyrov Y, Ilmoniemi RJ 305

Distinct effects of semantic plausibility and semantic structure building in MEG
Pylkkänen L, Llinás R, McElree B 306

MEG evidence for distinct processing of polysemy, homonymy and semantic relatedness bilaterally
Pylkkänen L, Llinás R, Murphy G 306

Changes in EEG Power Spectral Densities During Object Naming
Ramon C, Holmes M, Eriksen J, Vanhatalo S 307

Systematic cortical representation of vowel categories in the human auditory cortex
Shestakova A, Brattico E, Soloviev A, Klucharev V, Huotilainen M 307

Early Development of Neurophysiological Processes Involved in Normal Reading and Reading Disability
Simos P, Sarkari S, Papanicoloau AC 308

The English Irregular Past Tense: MEG evidence for morphological decomposition
Stockall L, Marantz A 308

Neural Patterns of Semantic Interference During Reading Revealed by MEG
Wehner D, Ahlfors SP, Mody M *309*

Time Course of Perisylvian Cortices Indicates Phonological Decoding Operations
Wilson TW, Leuthold AC, Pardo PJ *309*

N400-like MEG Response Elicited by Verbs in English Relative Clauses
Yeung HH, Hashimoto R, Phillips C, Sakai KL *310*

P2-2 Fetal MCG

Separation of fetal and maternal magnetocardiographic signals in twin pregnancy using independent component analysis (ICA)
Burghoff M, Van Leeuwen P *311*

Reconstruction of reliable fetal cardiac signals from fMCG recordings: comparison of methods
Comani S, Mantini D, Lagatta A, Alleva G, Di Luzio S, Romani GL *313*

On-line Fetal Heart Rate Monitoring Using SQUID Sensor Arrays
Gutiérrez D, Nehorai A, McKenzie D, Eswaran H, Lowery CL, Preissl H *315*

A vector magnetometer for standardization of fetal magnetocardiogram waveforms and analysis of fetal arrhythmias
Horigome H, Ogata K, Miyashita T, Kandori A, Tsukada K, Shiono J, Murakami T, Takahashi-Igari M, Matsui AS *317*

Magnetocardiography in Fetuses with Congenital Structural Heart Diseases
Hosono T, Kandori A, Chiba Y, Sugita Y, Fujii M, Suetake A, Haruna J, Kitajima E, Tsukada K *319*

Autocorrelation detection of R-wave peak in fetal magnetocardiogram
Kandori A, Ogata K, Murakami M, Miyashita T, Tsukada K, Hosono T, Chiba Y, Miyashita S, Horigome H, Matsui A *321*

HTS Magnetometers for Fetal Magnetocardiography
Li Z, Wakai RT, Paulson DN, Schwartz B *323*

Influence of fetal age and gender on cardiac time intervals in fetal magnetocardiography
Van Leeuwen P, Klein A, Lange S, Geue D, Grönemeyer D *325*

Assessment of fetal growth on the basis of signal strength in fetal magnetocardiography
Van Leeuwen P, Beuvink Y, Lange S, Klein A, Geue D, Grönemeyer D *327*

Phase coordination in magnetocardiographically recorded fetal and maternal heart rates
Van Leeuwen P, Geue D, Lange S, Klein A, Grönemeyer D *329*

Gradiometer for Fetal Heart Monitoring in Hospital Setting
Bachir W, Dunajski Z, Grot P, Palko TS *331*

Analysis of Fetal Heart Rate Variability Using Fetal Magnetocardiograms Recorded in a Magnetically Disturbed Environment
Brazdeikis A, Verklan MT, Padhye NS *331*

Separation of Normal and Ectopic FMCG Rhythms Using Independent Component Analysis
Campbell JQ, Eswaran H, Preissl H, Wilson JD, Best T, Murphy P, Lowery CL *332*

Characterization of fetal arrhythmias by means of fetal magnetocardiography in three cases of maternal obesity, fetal prone position, and oligohydramnios
Comani S, Liberati M, Mantini D, Alleva G, Brisinda D, Meloni AM, Fenici R, Romani GL *332*

Time course of heart rate and cardiac time intervals variability: a mother-fetus match study
Comani S, Mantini D, Liberati M, Alleva G, Di Luzio S, Romani GL *333*

Influence of fetal growth restriction on linear and non - linear parameters of fetal heart rate variability (HRV) investigated by fetal magnetocardiography (FMCG)
Kähler C, Schleussner E, Hoyer D, Haueisen J, Seewald HJ *333*

Complete fetal mapping reconstruction by means of Independent Component Analysis for cardiac source modeling
Mantini D, Comani S, Alleva G, Di Luzio S, Romani GL *334*

Prenatal diagnosis of a long QT syndrome by fetal MCG in an unshielded environment
Schneider U, Kähler C, Haueisen J, Loeff M, Strauss A, Schleussner E, Nowak H, Engelmann R, Bondarenko N, Zakosarenko V, Stolz R, Schulz M, Meyer HG *334*

Expanding Clinical Application of Fetal Magnetocardiography
Strasburger J, Cuneo B, Gotteiner N, Wakai R *335*

Assessment of Normal and Fetal Arrhythmia QT Intervals by Fetal Magnetocardiography
Zhao H, Wakai R, Strasburger J, Cuneo B, Gotteiner N *335*

P2-3 Fetal and perinatal MEG

Auditory evoked magnetic fields to speech stimulus in newborns - effect of sleep stages
Pihko E, Sambeth A, Leppänen P, Okada Y, Lauronen L *337*

Cleaning Fetal MEG Using a Beamformer Search for the Optimal Forward Model
Robinson SE, Vrba J *339*

Fetal MCG and fetal MEG measurements with a 3-channel SQUID system
Schneider U, Gießler F, Nowak H, Logemann T, Grimm B, Haueisen J, Schleussner E *341*

Auditory magnetic mismatch negativity response in the human fetal brain
Draganova R, Eswaran H, Murphy P, Holst M, Lowery CL, Huotilainen M, Preissl H *343*

Tracking developmental changes in the visual evoked responses in human fetus using MEG
Eswaran H, Lowery CL, Holst M, Murphy P, Wilson JD, Preiss H *343*

3D Ultrasound Images for Realistic Volume Conductor Modeling of the Fetal MEG
Haueisen J, Eichardt R, Schneider U, Kähler C, Schleussner E *344*

Development of Neonatal Auditory Evoked Responses
Lutter WJ, Wakai RT, Maier MM, Baryshnikov BV *344*

Somatosensory evoked magnetic fields to median nerve stimulation in newborns
Pihko E, Lauronen L, Wikström H, Parkkonen L, Okada Y *345*

Effects of antenatal glucocorticoids (GC) on parameters of human maternal and fetal cortical function detected by simultaneous registration of maternal EEG and fetal MEG
Schleussner E, Arnscheidt C, Schneider U, Haueisen J, Schwab M, Seewald HJ *345*

P2-4 Cardiac modeling

Sixty-Four Channels MCG and Three Dimensional Current Density Map
Simizu T, K. Nakai K, Ito M, Nakamura Y, Yaegashi M, Yoshioka K, Shozushima M, Yukimori R, Kobayashi K, Yoshizawa M *347*

The MCG Torso Model Study of Current Flow Heterogeneity
Sosnytskyy V, Hugenholtz PG, Sutkovyy P, Awolin B *349*

Combined high resolution MCG and action potential imaging
Holzer JR, Sidorov VY, McBride K, Fong L, Baudenbacher F *351*

Magnetocardiographic Gradient Analysis of Atrial Activation
Mäntynen V, Koskinen R, Montonen J, Steinhoff U, Nenonen J, Toivonen L, Katila T *351*

On the Optimization of Spatial Filter to Construct Three-Dimensional Current Density Imaging from MCG Signal
Yoshizawa M, Simizu T, Ito M, Nakamura Y, Kobayashi K, Uchikawa Y, Nakai K *352*

P2-5 MCG: Basic research

Generation of Cardiac Action Potentials with Multi-dipole Current Sources in Heart Phantom
Huh Y, Jeon CL, Jin SO, Han BH, Youm DH, Kim KU *353*

Spatial current dispersion pattern that characterize and separate the Brugada syndrome and complete right-bundle branch block
Kandori A, Shimizu W, Yokokawa M, Noda T, Kamakura S, Miyatake K, Murakami M, Miyashita T, Ogata K, Tsukada K *355*

Averaging Algorithm based on data statistics in Magnetocardiograpy
Kim K, Lee YH, Kwon H, Kim JM, Park YK *357*

Optimal Sensor Distribution for Measuring the Tangential Field Components in MCG
Kim K, Lee YH, Kwon H, Kim JM, Kim IS, Park YK *359*

Neonatal Magnetocardiography
Kotini A, Avgidou K, Koutlaki N, Anninos P, Anastasiadis P *361*

Magnetocardiographic image of the athlete's heart
Mosterd WL, Chaikovsky I, van der Kolk HK, de Vries W, Senden PJ, Hugenholtz PG *363*

Bayesian Classification of Myocardial Excitation Abnormality Using Magnetocardiogram Maps for Mass Screening
Ono Y, Ishiyama A, Kasai N, Yamada S, On K, Watanabe S, Yamaguchi I, Miyashita T, Tsukada K *365*

Multiple-channel SQUID System with Referential Sensors for Magnetocardiography
Simizu T, Yaegashi M, Nakamura Y, Ito M, Kobayashi K, Nakai K, Yoshizawa M *367*

MCG : New Insights into Old Ideas
Sosnytskyy V, Stadnyuk L *369*

Functional Anisotropy: Can It Be Detected By Magnetocardiography ?
Sosnytskyy V *371*

Spatial distribution of cardiac magnetic vector fields acquired from 3120 SQUID positions
Steinhoff U, Schnabel A, Burghoff M, Freibier T, Thiel F, Koch H, Trahms L *373*

MCG as a Tool for Drug Safety Testing and Knock-Out Model Animal Studies
Steinhoff U, Knappe-Grüneberg S, Schnabel A, Thiel F, Schurig T, Bader M, Koch H *375*

An imaging and quantitative analysis technique for diagnosis of electro-physiological excitation abnormality of heart
Tsukada K, Ogata K, Miyashita T, Yamada S, Horigome H, Shiono J, Kiwa T, Kandori A, Yamaguchi I *377*

3-D Magnetic Measurement of Exercise-Induced MCG
Uchikawa Y, Kim BS, Kobayashi K *379*

New Computerized Methods for Current Density Vector Map Evaluation
Vasetsky Y, Fainzilberg L, Chaykovsky I *381*

Comparison of magnetocardiographic and electrocardiographic abnormalities in closed chest pigs with chronic ischemia
Chaikovsky I, Duncker D, van Deel E, van Bremen R, de Waard M, McFalls E *383*

Effects of imaging area in the identification of electrical propagation in atrial tissue using a multichannel SQUID system
Costa Monteiro E, Andrade Lima E, Hall Barbosa C, Eiselt M, Gießler F, Flemming L, Bystronski MF, Haueisen J *383*

Magnetic Noise Reduction in Magnetocardiography Using ICA
Lee SY, Byun HS, Han BH, Huh Y *384*

Signal Space Separation in Magnetocardiography
Mäntynen V, Karvonen M, Taulu S, Nenonen J, Simola J, Kajola M, Ahonen A, Katila T *384*

Posters 3

P3-1 MCG: Clinical

Prognostic Value of Magnetocardiographic Screening in Cardiovascular Outpatients:A One Year Follow-up Study
Berndt C, Chaikovsky I, Korfer J, Pipper C, Horstkotte H *387*

Magnetocardiographic Study of Ventricular Repolarization in Hypertensive Patients with and without Left Ventricular Hypertrophy
Brisinda D, Meloni AM, Fenici R *389*

Evaluation of the magnetocardiography indexes in patients with cardiac diseases
Budnyk MM, Kozlovsky V, Stadnyuk L, Zahrabova O, Ryzhenko T, Getman T *391*

Atlas of typical magnetocardiographic maps for diagnosis of CAD within ST-T interval
Chaikovsky I, Auth-Eisernitz S, Avolin B, Hailer B *393*

Application of the magnetocardiographic mapping in patients with "uncomplicated" transplanted hearts in comparison to those with coronary artery disease and to healthy volunteers
El-Arousy M, Chaikovsky I, Koertke H, Tenderich G, Minami K, Morshuis M, Korfer R *395*

Effects of Filtering on Computer-Aided Analysis for Detection of Chronic Ischemic Heart Disease with Unshielded Rest Magnetocardiographic Mapping
Fenici R, Brisinda D, Meloni AM *397*

Non-invasive Electrophysiologic Study with Amagnetic Transesophageal Pacing during Unshielded Multichannel Magnetocardiographic Mapping
Fenici R, Brisinda D, Meloni AM *399*

The value of magnetocardiography in patients with chest pain with and without hemodynamically relevant stenoses of the coronary arteries using an unshielded four channel system
Hailer B, Van Leeuwen P, Auth-Eisernitz S, Chaikovsky I, Schäfer H, Grönemeyer D *401*

Comparison of the MCG parameters between normal subjects and Ischemic patients Using 61-channel SQUID System
Jeon CI, Huh Y, Han BH, Jin SO, Youm DH, Kim KU, Byun HS, Lee SH, Choi SY, Choi SH *403*

Synthetic Aperture Magnetometry with Independent Component Analysis for the Magnetocardiogram of WPW Syndrome
Kim K, Lee YH, Kwon H, Kim JM, Kim IS, Park YK, Bae JH *405*

Diversity in Activation of Healthy Atria by Magnetocardiographic Gradient Analysis
Kuusisto J, Koskinen R, Mäntynen V, Nenonen J, Mäkijärvi M, Montonen J, Toivonen L *407*

Three-Dimensional Electrical Current Density Map by 64-Channel Magnetocardiography in Patients with Atrial Flutter and Atrial Fibrillation
Nakai K, Kawazoe K, Izumoto H, Tsuboi J, Oshima Y, Yoshioka K, Shozushima M, Suwabe A, Nakai K, Nakamura Y, Shimizu T, Itoh M, Kobayashi K, Yoshizawa M *409*

Value of magnetocardiography for diagnosis of readiness to paroxysmal supraventricular tachycardia in children
Tarusinov G, Primin M, Chaykovsky I, Vogt J, Hartmann J, Beerbaum P, Awolin B, Meyer H *411*

Relationship between clinical and magnetocardiographic parameters in the context of Coronary Artery Disease
Van Leeuwen P, Lange S, Klein A, Geue D, Hailer B, Grönemeyer D *413*

Online Heart Model Creation for Magnetocardiographic Measurements
Veisterä H, Fenici R *415*

Status Of MCG Systems Operating In Unshielded Hospital Rooms
Bakharev AA, Hegstad BJ, Sokolowski RS, Sternickel K, Tralshawala N, Rosner CH *417*

Changes in Magnetocardiogram Patterns of Infarcted-Reperfused Myocardium after Injection of Superparamagnetic Contrast Media
Brazdeikis A, Chu CW, Cherukuri P, Litovsky S, Naghavi M *417*

Clinical Magnetocardiographic Mapping at the Catholic University of Rome
Brisinda D, Meloni AM, Fenici R *418*

Usefulness of magnetocardiography in CAD patients with complete left or right bundle brunch block
Chaikovsky I, Primin M, Auth-Eisernitz S, Schafer G, Hailer B *418*

Analysis of normal volunteer and stable angina patients using 61-Channel Magnetocardiography
Choi SY, Choi SH, Khang HS, Lee SH, Byun HS *419*

Comparison of magnetocardiographic images with the quantitative analysis of the coronary arteriogram
Ebmeyer S, Chaikovsky I, Hailer B, Erbel R, Wojczik H, Simon R *419*

Stability of Selected Magnetocardiographic Parameters - an Intrasubject Analysis
Elad L, Achenbach S, Pohle K, Daniel WG, Klinghammer L *420*

Automated parameter estimation in magnetocardiographic measurements
Kürsten R, Steinhoff U, Koch H, Zabel M, Kühl U, Schultheiss HP *420*

Assessing ischemic heart disease with multi-current-vector diagram and integral value of JT interval in magnetocardiography before and after coronary revascularization
Watanabe S, On K, Yamada S, Kuga K, Takeyasu N, Miyashita T, Ogata K, Kandori A, Yamaguchi I *421*

Magnetocardiogram is a useful noninvasive diagnostic tool to determine intra atrial and His Purkinje conduction time
Yamada S, Keisuke Kuga K, On K, Jahangir A, Tsukada K, Miyashita T, Yamaguchi I *421*

Magnetocardiogram is a useful noninvasive tool to identify patients at high risk of atrial fibrillation and heart failure hospitalization
Yamada S, Tsukada K, Miyashita T, Jahangir A, Ishizu T, On K, Kuga K, Watanabe S, Miyauchi T, Yamaguchi I *422*

P3-2 MEG: Generation

The Analysis of Phase-Sorted Single Trials at Peak Alpha Frequency
Naruse Y, Matani A, Miyawaki Y, Hayakawa T, Fujimaki N *423*

Generating mechanisms of MEG and EEG signals at the single cell level in hippocampus and neocortex revealed by computational models
Murakami S, Okada YC *425*

Characteristics of the Fast Oscillations in Evoked MEG from Hippocampal CA3 and CA1 Slices
Zhang T, Okada Y *425*

P3-3 MEG: Visual

Enhanced neural responses correlated with perceptual binding of color and motion
Amano K, Nishida S, Takeda T *427*

Pre-Surgical MEG Mapping Of Visual Hemifield Response Prior To Tumor Resection: Outcome Study
Grover KM, Bowyer SM, Thomas AJ, Rock J, Rosenblum ML, Skarf B, Mason K, Moran JE, Barkley GL *429*

Spatio-Temporal Brain Activity in Mental Rotation
Kawamichi H, Kikuchi Y, Ueno S, Yoshizawa S *431*

Fast responses in human fusiform face area
Liu L, Ioannides AA *433*

Modulation of neuromagnetic oscillatory activity during the observation of oro-facial movements
Muthukumaraswamy SD, Johnson BW, Gaetz W, Cheyne D *435*

Magnetic Cortical Activities Associated with Linear and Circular Vection
Nakagawa S, Watanabe H, Yamaguchi M, Nishiike S, Tonoike M *437*

A Study of Relationship between Multifocal VEF Responses and Binocular Disparity
Owaki T, Takeda T *439*

Visual Brain Activities Change during Discrimination of the Differences in Color or Shape of Colored Letters
Ozaki I, Jin CY, Suzuki Y *441*

Investigation of visual information pathways of color motion using MEG and binocular rivalry stimuli
Shinozaki T, Takeda T *443*

Early visual responses to upright and inverted faces
Susac A, Ilmoniemi RJ, Supek S *445*

Magnetoencephalographic (MEG) Correlates of Eye Blinking
Bardouille T, Picton T *447*

Differential activation of visual areas V1 and V5 by pattern reversal stimulation
Barnikol U, Dammers J, Fieseler T, Boers F, Muren A, Wuttich S, Mohlberg H, Hesselmann G, Amunts K, Zilles K, Niedeggen M, Tass PA *447*

Activation of MT/V5 and Inferior Parietal Lobe During the Detection of Changes in the Direction of Coherent Motion Stimuli
Cheyne D, Martinez-Trujillo JC, Simine E, Gaetz W, Tsotsos JK *448*

Problems in achieving Simultaneous Eye Tracking using Infrared-oculography (IROG), Electro-oculography (EOG) and MEG
Haruhanna K, Burbank M, Maruyama M, Hironaga N, Liu L, Ioannides AA *448*

Inversion and contrast-reversal effects on early face processing assessed by MEG
Itier RJ, Herdman AT, Picton TW, Taylor MJ *449*

Event related field P2m derived from visual attention to the hemi-space
Maeno T, Gjini K, Iramina K, Eto F, Ueno S *449*

MEG source analysis of early visual responses: Comparison of equivalent current dipoles and noise-normalized minimum norm estimates
Meeren HKM, Ahlfors SP, Hämäläinen MS, De Gelder BLMF, Hadjikhani N *450*

Human V5 response of Glaucoma Patients Demonstrated by MEG
Nakamura H, Nagamine T, Kashii S, Matsubayashi J, Matsui Y, Honda Y, Fukuyama H, Shibasaki H *450*

Recognition of Facial Emotion
Nakamura A, Maess B, Knösche TR, Friederici AD *451*

Neuromagnetic Correlates of Object Visibility
Smeets SI, Schwarzbach J *451*

New insights into the nature of evoked responses
Tass PA, Barnikol U, Fieseler T, Dammers J, Boers F, Muren A, Wuttich S, Amunts K, Zilles K, Niedeggen M *452*

Saccadic eye movement modulation of foveal word processing: a MEG study
Temereanca S, Reid KA, Hämäläinen MS, Dale AM, Halgren E *452*

P3-4 Modeling: Forward solutions

Accelerated BEM for the Calculation of the potential and magnetic fields
Akalin-Acar Z, Gençer NG *453*

Simulation of Spreading Cortical Depression (SCD) Wavefront on the Surface of Human Brain
Durgut K, Baysal U, Haueisen J *455*

Comparison of Boundary Element Method and Lead Field Method Performance in the Solution of the Inverse Problem
Marzetti L, Nolte G, DeCesaris I, DeMelis M, Erné SN *457*

Effect of Model Complexity on EEG Source Localizations
Ramon C, Schimpf PH, Haueisen J *459*

Computation of Potential and Magnetic Field Distribution using Finite Element Method (FEM) employing Whitney elements
Tanzer IO, Järvenpää S, Nenonen J, Somersalo E *461*

Forward solution ambiguity for fMEG model
Vrba J, Robinson SE, McCubbin J *463*

Algebraic MultiGrid with Multiple Right-Hand Side Treatment for an Efficient Computation of EEG and MEG Lead Field Bases
Wolters CH, Anwander A, Reitzinger S, Haase G *465*

Effects of head curvature and depth of cortex on spatial resolution of scalp EEG
Freeman WJ, Ramon C, Holmes MD *467*

Modeling a Direct Effect of Neural Activity on MRI
Heller L, George JS, Schmidt DM *467*

Semi-analytic forward calculation for EEG in multi-shell realistic volume conductors based on the lead field theorem
Nolte G *468*

P3-5 Modeling: Inverse solutions I

Electro-Magnetic Source Imaging with Realistic Head Models Using the Genetic Algorithms
Akalin-Acar Z, Gençer NG *469*

Maximum Likelihood Dipole Fitting in Spatially Colored Noise
Baryshnikov BV, Van Veen BD, Wakai RT *471*

NUTMEG: A neuromagnetic source reconstruction Toolbox
Dalal SS, Nagarajan SS, Agrawal V, Zumer JM, Sekihara K *473*

Local Lipschitz stability for an inverse EEG problem
El Badia A *475*

Estimation Method of the Number of Sources for MEG based on Spatio-Temporal Information
Hoshino D, Kuriyama H, Shirai K, Nakamura T, Kamiyama H, Ono Y, Ishiyama A, Kasai N, Tonoike M *477*

Anatomically Constrained Dipole Fit: MEG Multi-dipole Localization Using Cortical Surface Scanning
Im CH, Jung HK, Lee YH, Fujimaki N *479*

Spatial-temporal Bayesian Inference Analysis for MEG
Jun SC, George JS, Paré-Blagoev J, Plis SM, Ranken DM, Schmidt DM, Wood CC *481*

Improved Adaptive Beamformer Method for Multi-Sources with Temporal Correlation
Kuriyama H, Hoshino D, Shirai K, Nakamura T, Kamiyama H, Ono Y, Ishiyama A, Kasai N, Tonoike M....483

The impact of regularization on MEG minimum-norm estimates
Lin FH, Witzel T, Ahlfors SP, Stufflebeam SM, Belliveau JW, Hämäläinen MS 485

Iterative estimation of in vivo tissue conductivity distribution by using extended Kalman filter
Baysal U, Haueisen J, Sengul G.....487

Simultaneous analysis of MEG data sets in multiple conditions
Bijma F, de Munck JC, Nehorai A, Huizenga HM, Heethaar RM.....487

Effects of Correlated Brain Activity on Performance of Minimum-Variance Beamformer and Equivalent Current Dipole Localization Methods
Cheyne D, Bakhtazad L, Gaetz W.....488

Modified Beamformers for Coherent Source Region Suppression
Dalal SS, Zumer JM, Sekihara K, Nagarajan SS 488

Quantification of MEG's source reconstruction accuracy of deep and shallow sources using dense and sparse grid calculations
Dammers J, Fieseler T, Hadamschek V, Tass PA.....489

Application of bootstrap methods to assess statistical significance of dipole reconstructions from MEG data
Darvas F, Leahy RM.....489

Studying effective connectivity with a neural mass model of MEG/EEG evoked responses
David O, Harrison L, Kilner J, Penny W, Friston KJ 490

Dipole Localization Stability for Model Selection
Fuchs M, Wagner M, Kastner J.....490

Reconstruction of current source distributions in the human brain: a comparative study of inverse algorithms with regard to MEG data
Hadamschek V, Dammers J, Fieseler T, Dolan K, Tass PA 491

Commonalities and Differences among Vectorized Beamformers
Huang MX, Shih JJ, Lee RR, Harrington DL, Thoma RJ, Weisend MP, Hanlon F, Paulson KM, Li T, Martin K, Miller GA, Canive JM.....491

Localization of Independent Components in MEG Data
Hild II KE, Sahani M, Attias H, Nagarajan SS 492

Model of extended curved current source
Jazbinsek V, Trontelj Z.....492

Objective Evaluation of Inverse Methods in MEG
Kucukaltun-Yildirim E, Pantazis D, Leahy RM.....493

Source Space Reduction for MEG Source Imaging Using Cortical Surface Inflation
Lee C, Im CH, Jung HK, Lee YH, Kuriki S 493

Posters 4

P4-1 MEG: Auditory

Sound-Location Representations in the Posterior Human Auditory Cortex
Ahveninen J, Jääskeläinen IP, Raij T, Bonmassar G, Devore S, Hämäläinen MS, Levänen S, Lin FH, Sams M, Shinn-Cunningham BG, Belliveau JW.....497

Effect of Vision-Based Prediction on Auditory Information Processing
Aoyama A, Endo H, Honda S, Takeda T.....499

Auditory memory trace encodes polyphonic melody
Fujioka T, Trainor LJ, Ross B, Kakigi R, Picton TW, Pantev C 501

Analysis of modulation of MEG during auditory attention to frequency by frequency-tagged neuromagnetic responses
Hasegawa T, Owaki T, Amano K, Takeda T 503

The Influence of Sleepiness on the Auditory Evoked Magnetic Field
Hatsusaka N, Higuchi M 505

Neuromagnetic responses associated with perceptual segregation of pitch
Johnson BW, Muthukumaraswamy SD, Hautus MJ, Gaetz WC, Cheyne DO *507*

Enhanced P2m Responses to Musical Tones in Musicians
Kanda S, Hirata Y, Kuriki S *509*

Auditory neural activity during period of vertigo induced by cold caloric stimulation: magneto-encephalographic study
Kandori A, Oe H, Miyashita K, Naritomi H, Ogata K, Miyashita T, Tsukada K *511*

A New Dynamical Approach to Auditory Evoked Magnetic Field by Blind Identification
Kishida K, Ohi Y, Tonoike M, Iwaki S *513*

Cortical Activity Elicited By Isolated Vowels And Diphthongs
Mäkelä AM, Alku P, May PJC, Mäkinen V, Tiitinen H *515*

The Auditory N100 Response Reflects Glides In Speech Fundamental Frequency
Mäkelä AM, Alku P, Mäkinen V, Tiitinen H *517*

Auditory Evoked Responses Are Additive to Brain Oscillations
Mäkinen VT, Tiitinen H, May PJC *519*

Spectral Characterization of Ongoing and Auditory Event-Related Brain Processes
Mäkinen VT, May PJC, Tiitinen H *521*

The MMN Is a Derivative of the Auditory N100 Response
May PJC, Tiitinen H *523*

Auditory Scene Analysis and Sensory Memory: The Role of the Auditory N100
May PJC, Tiitinen H *525*

Plasticity of N100m enhancement in patients with acute inner-ear hearing impairment
Morita T, Hiraumi H, Fujiki N, Naito Y, Nagamine T, Ito J *527*

Phonetic memory representation for vowels as revealed by the mismatch negativity responses
Oiwa S, Gunji A, Koyama S, Tajima K, Kato H, Kakigi R *529*

Lateral inhibition and stimulus specific adaptation of the human auditory cortex
Okamoto H, Ross B, Gunji A, Kakigi R, Kubo T, Pantev C *531*

Delayed Cortical Auditory Processing in Down syndrome
Pekkonen E, Osipova D, Sauna-Aho O, Arvio M *533*

The effect of attention on the auditory steady-state response
Ross B, Herdman A, Picton TW, Hillyard SA, Pantev C *535*

Auditory cortex responses to the transition from monophonic to pseudo-stereo sound
Ross B, Wollbrink A, Herdman A, Pantev C *537*

Stimulus induced reset of the 40-Hz auditory steady-state response
Ross B, Herdman AT, Pantev C *539*

Effects of Spectral Complexity of Tones on Evoked Auditory Responses in Musicians and Nonmusicians
Shahin A, Ross B, Trainor LJ, Pantev C, Roberts LE *541*

An MEG study of directional categorization of frequency-modulated tones
Simserides C, König R, Scheich H *543*

Neuromagnetic Auditory Responses of the Human Brain Evoked by Bandpass Noise
Soeta Y, Nakagawa S, Tonoike M *545*

Auditory Evoked Fields in Relation to Binaural Cross-correlation
Soeta Y, Hotehama T, Nakagawa S, Tonoike M, Ando Y *547*

Classification of N100m Responses in Auditory Evoked Magnetic Field on Hemispheric Difference
Suzuka Y, Higuchi M, Yamada K, Hatsusaka N, Tomoda K *549*

Behavioral Detection of Spatial Stimuli Is Reflected in Auditory Cortical Dynamics
Tiitinen H, Palomäki KJ, Mäkinen V, May PJC, Alku P *551*

Periodic Glottal Excitation and Formant Frequencies in the Perception of Vowels
Tiitinen H, Mäkelä AM, Mäkinen V, May PJC, Alku P *553*

MEG measurement of event-related brain activity evoked by emotional prosody recognition
Yagura H, Tonoike M, Yamaguchi M, Nakagawa S, Sutani K, Ogino S *555*

Dynamic neuromagnetic responses to auditory motion: A novel index of attention
Xiang J, Holowka S, Ishii R, Wilson D, Chuang S *557*

Distinct Pathways Involved in Sound Localisation of Still and Oscillating Acoustic Stimuli: A Human fMRI/MEG Study
Brunetti M, Belardinelli P, Del Gratta C, Pizzella V, Della Penna S, Ferretti A, Caulo M, Cianflone F, Romani GL, Olivetti Belardinelli M *559*

Short-term Habituation of Neuromagnetic Responses to a Short Click Train
Carver FW, Feeney MC, Mitchell-Francis J, Holroyd T, Coppola R *559*

Cortical and Sub cortical processing of binaural pitch – an MEG study
Chait M, Poeppel D, Simon J *560*

Dynamic Cortical Activation During Phoneme Discrimination
Frye RE, McGraw-Fisher J, Liederman J, Dale AM, Halgren E *560*

Neuromagnetic correlates of auditory stream segregation
Gutschalk A, Micheyl C, Scherg M, Rupp A, Oxenham AJ *561*

Enhanced Response to a Mistuned Sound in Human Auditory Cortex
Hiraumi H, Naito Y, Nagamine T, Fukuyama H, Ito J *561*

Auditory evoked responses in human newborns recorded by MEG and EEG
Holst M, Eswaran H, Lowery CL, Murphy P, Preissl H *562*

Gamma activity revealed in humans during working memory retention of virtual pitches
Jensen O, Schulte M, van Dijk H *562*

Neuromagnetic Evaluation of Binaural Unmasking in Normal Subjects and Patients with Comatose Survivors After Severe Head Injury
Kanno A, Nakasato N, Kawase T, Sasaki T, Nagamine H, Fujiwara S *563*

Language MEG Study of Phonological Contrasts
Kazanina N, Phillips C *563*

Neuromagnetic responses to native and non-native speech sounds in Japanese speakers
Koyama S, Gunji A, Akahane-Yamda R, Kakigi R *564*

Neuromagnetic activation mirrors auditory perceptual asymmetry
Kult A, Pressnitzer D, Supek S, Rupp A *564*

Trial-by-trial habituation in the primary auditory cortex
Leuthold AC, Wilson TW *565*

Preattentive memory-based comparison of pitch: An MEG study of the Mismatch negativity to pitch changes
Maess B, Jacobsen T, Schröger E *565*

Dipole Modeling of the Maturation of the Auditory Evoked Field
Maharajh K, Rojas D, Teale P, Kleman MR, Reite M *566*

The Deutsch illusion: neuromagnetic correlates of stream segregation by pitch and space
Mathiak K, Menning H, Hertrich I, Ackermann H *566*

Auditory differential processing persist during stage 2 sleep in adults: simultaneous recordings of electroencephalography and magnetoencephalography
Matsubayashi J, Imai M, Nagamine T, Shibasaki H, Fukuyama H *567*

Training induced plasticity in auditory cortex
Nagarajan SS, McGonigle DJ, Sekihara K, Hairston I *567*

Temporal resolution for bone-conducted ultrasonic perception assessed by mismatch filed (MMF)
Nakagawa S, Takegata R, Tonoike M *568*

Dipole Source Modeling of the AEF in Pediatric Environments: Effects of Head Size, SNR and Sensor Coverage
Pang EW, Bakhtazad L, Gaetz W, Cheyne D *568*

Development of the 40-Hz steady state auditory evoked magnetic field
Rojas DC, Teale P, Ramos M, Benkers TL, Carlson JP, Reite ML *569*

Auditory Cortex Dysfunction And Plastic Changes In Tinnitus: A MEG Study
Santiuste M, Bathal B, Iglesias MC, Quesney LF, Amo C, Fernández A, Maestú F, Poch J, Ortiz T *569*

Tonotopy, tonochrony and pitch mapping in Heschl's gyrus of musicians
Schneider P, Scherg M, Dosch HG, Specht HJ, Rupp A *570*

Integration of near and far, auditory and visual stimuli
Stephen JM, Ranken D, Aine CJ, Hart B, Adair J, Knoefel J *570*

MEG responses form the frontal regions using a whole head SQUID system
Takeuchi F, Kamada K, Kuriki S, Kawaguchi H *571*

MEG Steady State Response to Broadband Sounds
Wang Y, Ahmar N, Xiang J, Poeppel D, Simon JZ *571*

Altered representation of the auditory cortex in tinnitus patients
Wienbruch C, Paul I, Roberts L, Weisz N, Elbert T *572*

P4-2 Modeling: Inverse solutions II

ICA Methods for MEG Imaging
Moran JE, Tepley N *573*

Intersubject Spatial ICA of Temporally Independent Neuromagnetic Sources and their Time-Frequency Dynamics
Ramirez RR, Moran KA, Kronberg E, Ribary U, Llinás RR *575*

Influence of Head Models on MEG Source Localizations
Ramon C, Haueisen J, Schimpf PH *577*

MUSIC Seeded Multi-Dipole MEG Modeling Using the Cortical Start Spatio-Temporal Modeling Procedure
Ranken DM, Stephen JM, George JS *579*

Mean Squared Error Performance Prediction of Linearly Constrained Minimum Variance Source Localization
Richmond CD, Van Veen BD, Limpiti T *581*

Localization of Event-Related Activity by SAM(erf)
Robinson SE *583*

Bootstrap Investigation of Linearly Constrained Minimum Variance Localization in Subspaces
Rodriguez-Rivera A, Van Veen BD, Wakai RT *585*

Computationally Efficient Implementation of Standardized Low Resolution Electromagnetic Tomography for Numeric Head Models
Schimpf PH, Liu H, Ramon C, Haueisen J *587*

Balancing Resolution and Localization Performance with a Modified sLORETA / FOCUSS algorithm
Schimpf PH, Liu H, Haueisen J, Ramon C *589*

STR: A new Spatio-Temporal Approach for Accurate and Efficient Current Density Reconstruction
Schmitt U, Wolters CH, Anwander A, Knösche TR *591*

Effective Magnetic Dipole Localization for Magnetocardiography
Shulga SN, Korsun N, Bakharev A, Maluskin AV *593*

Non-Parametric Statistical Thresholding for Spatial-Filter Source Reconstruction Images
Sekihara K, Sahani M, Nagarajan SS *595*

Estimation Of Human Head Tissue Conductivities by Using in vivo E/MEG Data and Comparison of Three Different Estimation Algorithm Results
Sengul G, Baysal U, Haueisen J *597*

A Two-objective Hybrid Algorithm for Source Localization in MEG
Sequeira C, Sánchez-Quesada F, Sancho M, Ortiz T *599*

How many channels are needed for MEG?
Vrba J, Robinson SE, McCubbin J *601*

Line and Surface Source Estimation with Magnetoencephalography
Yetik IŞ, Nehorai A, Muravchik CH, Haueisen J *603*

Linearly Constrained Minimum Variance Source Imaging using Multiresolution Cortical Bases
Limpiti T, Van Veen BD, Nowak RD, Wakai RT *605*

A Semi-Parametric Method for Source Localization using Local Basis Expansions
Maniar H, Polyakov A, Mitra PP *605*

Graphical Models for Electromagnetic Source Imaging
Nagarajan SS, Sahani M, Sekihara K, Attias H *606*

Detecting and localizing brain connectivity free of artifacts from volume conduction exemplified for MEG data of human alpha rhythm
Nolte G, Holroyd T, Carver F, Coppola R, Hallett M *607*

Influence of forward method and head model selection on localization accuracy in EEG/MEG inverse problem
Orzechowski M, Dunajski Z *607*

Performance of an MEG Adaptive Beamformer Technique in the Presence of Additive Low-Rank Interference
Sekihara K, Nagarajan SS, Poeppel D, Marantz A *608*

Asymptotic SNR of Scalar and Vector Minimum-Variance Beamformers for Neuromagnetic Source Reconstruction
Sekihara K, Nagarajan SS, Poeppel D, Marantz A *608*

Comparison between Minimum-Variance Spatial filter and sLORETA
Sekihara K, Sahani M, Nagarajan SS *609*

Hierarchical Variational Bayesian Method for MEG
Sato M, Yoshioka T, Kajiwara S, Toyama K, Goda N, Doya K, Kawato M *609*

Computation of MEG in an Anisotropic Volume Conductor Using FEM Employing Whitney Elements
Tanzer IO, Nenonen J, Järvenpää S, Somersalo E *610*

Fidelity-Linearity Optimization for Bioelectromagnetic Inverse Problem
Terazono Y, Matani A *610*

Evaluation of sLORETA for MEG Data in the Presence of Noise and Multiple Sources
Wagner M, Fuchs M, Kastner J *611*

An analysis of MEG data by Hierarchical Variational Bayesian Method
Yoshioka T, Sato M, Kajiwara S, Toyama K, Goda N, Doya K, Kawato M *611*

Posters 5

P5-1 Instrumentation

A Novel SQUID Vector Gradiometer for Biomagnetic Measurement
Adachi Y, Kawai J, Uehara G, Miyatmoto M, Kawabata S, Ohkubo H, Fukuoka Y, Komori H, Kado H *615*

Low-cost 7-channel magnetocardiographic system for unshielded environment
Budnyk M, Voytovych I, Sosnytskyy V, Minov Yu, Sutkovyy P, Primin M, Nedayvoda I, Vasiliev V *617*

A 500 channel MEG system
Della Penna S, Del Gratta C, Cianflone F, Erné SN, Granata C, Pizzella V, Russo M, Romani GL *619*

Simultaneously detected biomagnetic signals and NMR
Espy MA, Volegov PL, Matlachov AN, George JS, Kraus RH Jr. *621*

The New SQUID Biosusceptometer at Oakland:First Year of Experience
Fung EB, Fischer R, Fagaly RL, Pakbaz Z, Vichinsky E, Starr TN, Ewing T, Paulson DN, Hassenzahl WV, Harmatz P *623*

Active Magnetic Compensation Composed of Shielding Panels
Kato K, Yamazaki K, Sato T, Haga A, Okitsu T, Muramatsu K, Ueda T, Kobayashi K, Yoshizawa M *625*

Real-Time MCG Mapping in the 36-Channel Magnetocardiograph
Korsun N *627*

A 62-channel MCG System Measuring Tangential Field Components
Lee YH, Kim K, Kim JM, Kwon H, Park YK *628*

Total Information of Multichannel MEG Sensor Arrays
Nenonen J, Kajola M, Simola J, Ahonen A *630*

Visualization of cardiac electrical current using 32-channel high temperature superconducting quantum interference device
Nomura M, Nakaya Y, Ito S, Itozaki H *632*

Whole-head SQUID System in a Superconducting Magnetic Shield
Ohta H, Matsui T, Uchikawa Y *634*

Calibration of a Vector-MEG Helmet System
Pasquarelli A, DeMelis M, Marzetti L, Erné SN *636*

A Sensor Configuration for a 304 SQUID Vector Magnetometer
Schnabel A, Burghoff M, Hartwig S, Petsche F, Steinhoff U, Drung D, Koch H *638*

Characteristics of a 440CH MEG System with Vector Sensors
Takeda T, Owaki T, Haruta Y, Uehara G *640*

A Liquid Helium Circulation System
Takeda T, Uchida A *642*

Active Magnetic Shield controlled by algorithms without Cross-interference
Ueda T, Yamazaki K, Takenaka M, Sato T, Haga A *644*

Dynamical MCG mapping with an atomic vapor magnetometer
Weis A, Wynands R, Bison G *646*

Continuous Head-Localization and Data Correction in a Whole-Cortex MEG Sensor
Wilson HS *648*

MCG Measurement in the Environment of Active Magnetic Shield
Yamazaki K, Kato K, Kobayashi K, Igarashi A, Sato T, Haga A, Kasai N *650*

High T_c SQUID Magnetocardiography imaging system
Yang HC, Hung SY, Wu CH, Chen CC, Hsu SJ, Liao SH, Horng HE *652*

Mobile Magnetocardiography in an Unshielded Truck
Awolin B, Chaykovsky I, Hugenholtz PG *654*

SQUID vs. Optically Pumped Magnetometer: a comparison of system performance
Bison G, Pasquarelli A,Weis A, Erné SN *654*

Headshape digitization using an ultrasound 3D acquisition system
Boers F, Dammers J, Fieseler T, Muren A, Tass PA *655*

Discrimination of multiple sources using a SQUID vector magnetometer
Burghoff M, Schnabel A, Drung D, Thiel F, Knappe-Grüneberg S, Hartwig S, Kosch O, Trahms L, Koch H *655*

On-site Measurement of the Torso Surface for Magnetocardiographic Source Imaging
Jeng JT, Hsu CL ,Wang JC, Yang HC, Hung SY, Horng HE, Liao SH *656*

Hyperpolarized ^{3}He noble gas for nuclear magnetic resonance imaging
Liao SH, Chou CH, Horng HE, Yang HC *657*

Instrumentation for Simultaneous Detection of Biomagnetic and Nuclear Magnetic Resonance Signals in Microtesla Magnetic Fields
Matlachov AN, Volegov PL, Espy MA, George JS, Kraus RH Jr. *657*

Advanced electronics for the CTF 275 MEG system
McCubbin J, Vrba J, Spear P, McKenzie D, Willis R, Loewen R, Robinson SE, Fife AA *658*

SQUID-Detected in Vivo MRI in Microtesla Magnetic Fields
Myers WR, Mößle M, Lee SK, Kelso N, Pines A, Clarke J *658*

Noise Reduction for the Vector-MCG-Device ARGOS 200
Nowak H, Hilgenfeld B, Liehr M, Rossi R, Trebeschi A, Haueisen J *659*

Evaluation of SSS for a 76-channel MEG instrument
Nurminen J, Okada Y *659*

BabySQUID: A High-Resolution, Mobile, Multichannel MEG System for Neonatal Brain Assessment
Okada Y, Atwood C, Pratt K, Paulson D *660*

Argos 500: Operation of a Helmet Vector-MEG
Pasquarelli A, Rossi R, DeMelis M, Marzetti L, Erné SN *660*

Magnetoencephalography with an atomic magnetometer
Romalis MV, Ben-Amar Baranga A, Hoffman DE *661*

Active Shielding Method for an MEG device
Simola J, Taulu S, Parkkonen L, Kajola M *661*

Development of Multi-channel Compact HTS MCG System Using Transversal Magnetically Shielded Cylinder
Suzuki D, Tsukamoto A, Kandori A, Ogata K, Miyashita T, Seki Y, Yokosawa K *662*

Study on Recovery Effect of Pulsed Magnetic Stimulation to a Fatigued Muscle
Yunokuchi K, Gang W, Hosaka H *662*

P5-2 Multimodal imaging

SII topography for electric non painful and painful stimuli: an fMRI study
Feretti A, Del Gratta C, Babiloni C, Caulo M, Arienzo D, Tartaro A, Pizzella V, Rossini PM, Romani GL ..663

Dynamics of sexual arousal in man: an fMRI study
Ferretti A, Caulo M, Del Gratta C, Merla A, Montorsi F, Pizzella V, Pompa P, Rigatti P, Rossini PM, Salonia A, Tartaro A, Romani GL ..665

fMRI constrained MEG Source Imaging and Consideration of fMRI Invisible Sources
Im CH, Jung HK, Fujimaki N ..667

Spatiotemporal neural activities during 3-D structure perception from motion
Iwaki S, Bonmassar G, Belliveau JW ..669

Versatile 3D Optical Marker Localizer for Multimodal Integration
Lindenthal H, Müller HP, Pasquarelli A, Erné SN ..671

Regional Resolving Power of Combined MEG/EEG
Pflieger ME, Greenblatt RE, Kirkish J ..673

An integrative MEG- fMRI study of the primary somatosensory cortex using cross-modal correspondence analysis
Schulz M, Chau W, Graham SJ, McIntosh AR, Ross B, Ishii R, Pantev C ..675

Magnetic resonance imaging of mean values and directional anisotropy of electrical conductivity in the human brain
Sekino M, Inoue Y, Ueno S ..679

The Analysis of Functional MRI with Shannon and Tsallis Entropy
Tedeschi W, de Araujo DB, Müller HP, Santos AC, Erné SN, Baffa O ..681

Interaction latency during during auditory-visual stimulus onset asynchrony (SOA) in humans
Zhi X, Saito Y ..683

MEG and EEG show different sensitivity to myogenic artifacts
Zimmermann R, Scharein E ..686

Combined MEG and cytoarchitectonic data imaging
Dammers J, Barnikol U, Wuttich S, Boers F, Muren A, Mohlberg H, Amunts K, Zilles K, Tass PA ..688

Multimodal Imaging of Object Recognition
Goldenholz DM, Stufflebeam SM, Vaina LM ..688

A comparison of EEG/fMRI and MEG to study spontaneous variations of the α-rhythm
Gonçalves SI, Pouwels PJW, Schoonhoven R, Kuijer JPA, Maurits NM, Van Someren EJW, Heethaar RM, de Munck JC ..689

A Combined EEG MEG fMRI Study of the Cortical Activities Following Pattern Reversal Visual Stimuli
Perfetti B, Franciotti R, Della Penna S, Pizzella V, Del Gratta C, Ferretti A, Caulo M, Tartaro A, Romani GL, Onofrj M ..689

Multimodal Imaging of Somatosensory Evoked Cortical Activity
Ramon C, Haueisen J, Richards T, Maravilla K ..690

MEG and EEG compared for pain evoked measurements
Sager C, Zimmermann R ..690

Retinotopic Visual Responses to Local Stimuli Measured with MEG/EEG and fMRI
Sharon D, Halgren E, Tootell RBH ..691

Magnetic Source Imaging of interictal spikes compared to SISCOM in presurgical evaluation of epileptic patients
Thyerlei D, Padilla R, Lopez NP, Mamelak AN, Darvas FI, Sutherling WW ..691

Event-related fields/potentials in the basal temporal area evoked by Japanese morphogram and syllabogram. A comparative study of MEG and electrocorticogram
Usui K, Nagamine T, Ikeda A, Matsuhashi M, Matsubayashi J, Inoue Y, Shibasaki H, Fukuyama H ..692

Cortical Organization and Connectivity from Magnetoencephalography (MEG) and Diffusion Tensor Imaging (DTI) Data in Macaque Monkeys and Humans
Zumer JM, Disbrow EA, Henry RG, Berman JI, Krubitzer LA, Hinkley LB, Turner RS, Dalal SS, Sekihara K, Nagarajan SS ..692

P5-3 MEG: Somatosensory

A MEG Study on the Event Related Desynchronisation/Synchronisation of Alpha and Beta Rhythms in Human SI and SII Areas
Della Penna S, Torquati K, Pizzella V, Babiloni C, Franciotti R, Rossini PM, Romani GL *693*

3-D Magnetic Measurement of Neuromagnetic Response of Somatosensory Area to Different Repetition Frequencies
Kim BS, Uchikawa Y, Kobayashi K, Kawakatsu M, Kotani M *695*

Changes in the Finger Cortical Representation in Humans after an Altered Finger Sensory Input: A Magnetoencephalography Study
Stavrinou ML, Pizzella V, Cianflone F, Della Penna S, Torquati K, Franciotti R, Ciancetta L, Bezerianos A, Rossini PM, Romani GL *697*

Frequency specificity in the cortical representation of thumb with respect to little finger: dynamics of regional activation and intra-regional synchronization
Tecchio F, De Lucia M, Salustri C, Zappasodi F, Montuori M, Babiloni C, Bottaccio M, Pietronero L, Pizzella V, Rossini PM *699*

Temporal dynamics of nociceptive and non nociceptive areas in human secondary somatosensory cortex: a MEG study
Torquati K, Pizzella V, Babiloni C, Della Penna S, Ferretti A, Franciotti R, Del Gratta C, Rossini PM, Romani GL *701*

Components of lumbar magnetoneurographic fields after tibial nerve stimulation
Van Leeuwen P, Klein A, Hoormann J, Grönemeyer D *703*

Pre-movement modulation of primary somatosensory cortex preceding self-initiated finger extension
Wasaka T, Hoshiyama M, Kakigi R *705*

Volumetric estimation of functional regions in small children using spatially filtered magnetoencephalography: differentiating thumb from middle finger
Xiang J, Holowka S, Qiao H, Sun B, Chuang S *707*

Cortical representation of dermatomes: MEG-derived maps recorded after tactile stimulation
Castillo EM, Papanicolaou AC *709*

Watching possible and impossible movements of biological stimuli: a MEG study
Costantini M, Galati G, Della Penna S, Pizzella V, Cianflone F, Franciotti R, Romani GL, Aglioti SM *709*

Imaging Cerebellar Activity Using Spatially Filtered Magnetoencephalography
Dockstader CL, Gaetz WC, Tannock R, Cheyne D *710*

Tactile Stimulation Induces Somatotopically Organized Oscillations in SI and MI
Gaetz W, Singh KD, Cheyne D *710*

Identification of the eloquent motor cortex using magnetic resonance axonography, MEG and fMRI
Kamada K, Takeuchi F, Kuriki S, Morita A, Kirino T *711*

Intensity Effect of Human Somatosensory Evoked Fields Following Passive Movement of the Index Finger
Matsuhashi M, Nagamine T, Mima T, Fukuyama H, Shibasaki H *711*

Comparison between the somatosensory evoked magnetic field and potential following passive wrist movements
Mima T, Nagamine T, Yazawa S, Toma K, Kunieda T, Fukuyama H, Shibasaki H *712*

EEG and MEG responses following stimulation of unmyelinated C fibers
Qiu Y, Inui K, Diep T, Xiahong T, Ryusuke Kakigi W *712*

Separation of simultaneously active cortical sources using SOBI
Sauvé K, Llinás R *713*

Participation of Secondary Somatosensory Cortex (SII) in the generation of high frequency rhythms of the brain: A Magnetoencephalographic study
Stavrinou ML, Della Penna S, Torquati K, Pizzella V, Babiloni C, Franciotti R, Bezerianos A, Rossini PM, Romani GL *713*

Crossmodal cortical interactions in the somatosensory cortex
Takino R, Iguchi Y, Nemoto M, Kimura T, Hashimoto I *714*

Unilaterally Applied Tactile Stimuli in a Frequency Discrimination Task are Represented Bilaterally in Primary Somatosensory Cortex
Tan HRM, Wühle A, Braun C *714*

Effects of temporary ligation of the internal artery on the low- and high-frequency somatic evoked potentials in the swine
Wang Y, Hosler G, Okada YC *715*

Posters 6

P6-1 MEG: Motor and movement disorders

Motor evoked response (MER) measured by MEG utilizing MR-FOCUSS
Arcila-Londono X, Bowyer SM, Mason KM, Moran JE, Tepley N, Barkley GL *719*

Event Related Spectral Perturbations and Coherence in a Simple Audio-Motor Reaction Time Task
Moran KA, Ramirez RR, Jaramillo S, Ribary U, Llinás RR *721*

High Resolution Neuromagnetic Imaging using Minimum-Variance Beamforming Reveals Multiple Generators of Movement-Evoked Fields in Sensorimotor Cortex
Bakhtazad L, Gaetz W, Cheyne D *723*

Impacts of fatigue on synchronization between MEG and EMG
Boonstra TW, Daffertshofer A, Beek PJ *723*

Mapping sensorimotor function in patients with perirolandic lesions: a comprehensive MEG protocol
Castillo EM, Simos PG, Wheless JW, Baumgartner JE, Fitzgerald ME, Papanicolaou AC *724*

Stabilization of bimanual coordination - evidence from phase transitions
Daffertshofer A, Peper CE, Beek PJ *724*

Serial correlations in magneto-encephalographic recordings during voluntary rhythmic movements
Daffertshofer A, Boonstra TW, Beek PJ *725*

Neuromagnetic Imaging of Self-Initiated vs. Visually Cued Movements
Gaetz W, Robaey P, Schacher R, Cheyne D *725*

Tomographic mapping of functional connectivity from magnetoencephalographic recordings
Gross J, Schnitzler A *726*

Temporal Dynamics of Ipsilateral and Contralateral Motor Activity during Voluntary Finger Movement
Huang MX, Harrington DL, Paulson KM, Weisend MP, Lee RR *726*

Spatiotemporal patterns of movement-related fields in stroke patients
Kotani K, Kinomoto Y, Yamada M, Deguchi J, Tonoike M, Horii K, Miyatake S, Kuroiwa K *727*

Visual and Motor Cortex Interactions during a Self Paced Copy Task
Langheim FJP, Leuthold AC, Lewis SM, Georgopoulos AP *727*

The Cerebral Network of Paced Movements
Pollok B, Gross J, Schnitzler A *728*

Cortico-muscular gamma-frequency coherence is correlated with instantaneous target probability
Schoffelen JM, Oostenveld R, Fries P *728*

Pathological oscillatory coupling within the human motor system in different tremor syndromes as revealed by magnetoencephalography
Timmermann L, Gross J, Butz M, Schnitzler A *729*

Applying Inverse Source Reconstruction to Investigate the Mechanisms Underlying Deep Brain Stimulation in the Treatment of Parkinson's Disease
Webb RM, Limousin P, Rothwell JC *729*

P6-2 MEG: Epilepsy

The localization of epileptic activity in the frequency and time domains using a 122-channel biomagnetometer
Anninos P, Kotini A, Adamopoulos A, Pavlidis P, Chourdakis K *730*

Congenital unilateral perisylvian syndrome: An EEG, MEG and MRI study
Camposano S, Kotini A, Hara K, Cole A, Cabello D, Grant PE, Stufflebeam SM, Halgren E *732*

A comparison of the predominant lateralizations of EEG and MEG dipoles in children with intractable epilepsy
Ochi A, Otsubo H, Iida K, Elliott I, Weiss SK, Kutomi T, Nakayama T, Sharma R, Chuang SH, Rutka JT, Carter Snead O *734*

Epileptic discharges of MEG using synthetic aperture magnetometry: Comparison to intracranial epileptic discharges over the epileptogenic zone
Otsubo H, Oishi M, Suyama Y, Iida K, Ochi A, Weiss SK, Xiang J, Gaetz W, Cheyne D, Chuang SH, Rutka JT *736*

Localization of Interictal Spikes using SAM(g2) and Dipole Fit
Robinson SE, Nagarajan SS, Mantle M, Gibbons V Kirsch H *738*

SAM(g2) analysis for detecting spike localization: a comparison with clinical symptoms and ECD analysis in an epileptic patient
Ukai S, Kawaguchi S, Ishii R, Yamamoto M, Ogawa A, Mizuno-Matsumoto Y, Robinson SE, Fujita N, Yoshimine T, Shinosaki K, Takeda M *740*

Effect of Sodium Valproate on Neuromagnetic Responses to Chromatic Flicker: Implication to Photosensitivity
Watanabe K, Sayres R, Shimojo S, Imada T, Nihei K *742*

Automatic localization of epileptic zones using magnetoencephalography
Xiang J, Holowka S, Jiang Y, Qiao H, Sun B, Wilson D, Chuang S *744*

MEG clarified the source of epilepsia partialis continua (EPC) in a patient with previously non-diagnostic EEG, Video-EEG, SPECT and MRI Studies
Bagic A, Balish M, Bonwetsch R, Theodore WH, Holroyd T, Coppola R, Sato S *746*

Differences in MEG/EEG epileptic spike yields explained by regional differences in signal to noise ratios
de Munck JC, de Jongh A, Ossenblok P *746*

Dipole Density Analysis Of Spikes And Slow Waves Improves MEG Resolution In Temporal Lobe Epilepsy
Fernández A, Quesney LF, Amo C, Turrero A, Zuluaga P, Maestú F, Campo P, Ortiz T *747*

Utilization of MEG results to obtain more favorable outcomes in neurosurgical resection in epilepsy patients
Fischer MJM, Scheler G, Stefan H *747*

Neuromagnetic Imaging of Cortical Sensorimotor Oscillations in Pediatric Epilepsy: A Case Report
Gaetz W, Pang EW, Otsubo H, Logan WJ, Elliott I, Weiss SK, Rutka JT, Snead OC, Cheyne D *748*

MEG vs. EEG measurements of right-left propagation of interictal spikes in a patient with partial epilepsy
Hara K, Foxe DM, Camposano S, Grant PE, Halgren E, Stufflebeam SM *748*

Opercular to Interhemispheric Source Distribution of Benign Rolandic Spikes of Childhood
Ishitobi M, Nakasato N, Yamamoto K, Iinuma K *749*

Whole head MEG and EEG in the presurgical evaluation of epilepsy patients: a prospective study
Knake S, Stufflebeam SM, Shiraishi H, Grant PE, Hara K, Witzel T, Carr VA, Foxe DM, Busa E, Hämäläinen MS, Ahlfors SP, Camposano S, Schomer DL, Bromfield EB, Dworetzky BA, Madsen JR, Cosgrove R, Black PL, Bourgeois BF, Larsson PG, Cole AJ, Thiele E, Dale A *749*

Wavelet-based Spectral Spatiotemporal Map Predicts Propagation of Epileptic Spikes
Lin FH, Hara K, Belliveau JW, Halgren E, Stufflebeam SM *750*

Relative merits of MEG for identification of the epileptogenic zone as compared with invasive EEG
Pataraia E, Castillo EM, Simos PG, Billingsley-Marshall R, Fitzgerald M, Sarkari S, Breier J, Papanicolaou AC *750*

Paramount Role Of Cingular Cortex In Generalized Epilepsy: MEG Evidence
Quesney LF, Amo C, Maestú F, Fernández A, Ortiz T *751*

Variation of MEG and EEG Localisations Due to Different Volume Conductors
Scheler G, Fischer M, Hummel C, Genow A, Stefan H *751*

Differentiability of simulated hippocampal, parahippocampal and lateral temporal sources
Stephen JM, Ranken D, Aine CJ, Weisend MP, Shih J *752*

The advantages of interictal MEG compared to EEG in case of Frontal Lobe Epilepsy
Ossenblok P, de Munck JC, Leijten FSS, Drolsbach W, Boon P *752*

Comparison of Single Dipole Model with Adaptive-Beamformer Technique in Magnetoencephalograpy of temporal lobe epilepsy
Tsuyuguchi N, Hattori H, Tsutada T, Shimogawara M, Sekihara K, Hara M *753*

P6-3 MEG: Neurology

Cortical thickness in a case of Congenital Unilateral Perisylvian Syndrome
Kotini A, Camposano S, Hara K, Salat D, Cole A, Stufflebeam SM, Halgren E *754*

Predictor of cognitive deterioration in elderly subjects by auditory-evoked magnetic signal using magnetoencephalography
Oe H, Kandori A, Miyashita K, Ogata K, Miyashita T, Tsukada K, Naritomi H *756*

Neuromagnetic study of auditory processing in Williams syndrome
Pekkonen E, Osipova D, Sauna-Aho O, Arvio M *758*

Age-Related Effects of Priming in Auditory Association Cortex
Aine C, Adair J, Knoefel J, Hudson D, Qualls C, Cobb W, Padilla D, Kovacevic S, Stephen J *760*

Can MEG be used to monitor multiple sclerosis?
Cover KS, Vrenken H, Geurts JJG, van Oosten B, Jelles B, Polman CH, Stam CJ , van Dijk BW *760*

Somatosensory Evoked Magnetic Fields In Mild And Moderate Head Trauma
Lewine JD, Davis J, Pingree J, Thoma R, Burr R, Hill D, Funke M, Jones G, Bigler E *761*

Temporo-Parietal Theta Rhythm in Hemisphere with Carotid Artery Occlusive Disease
Nakasato N, Seki S, Ohtomo S, Kanno A, Shimizu H, Tominaga T *761*

Altered generation of spontaneous neuromagnetic oscillations in Alzheimer's disease studied with minimum current estimates
Osipova D, Ahveninen J, Jensen O, Ylikoski A, Pekkonen ES *762*

Brain sensorimotor hand area organization and functionality in acute stroke: insights from MEG
Tecchio F, Zappasodi F, Pasqualetti P, Oliviero A, Salustri C, Lupoi D, Ercolani M, Romani GL, Pizzella V, Rossini PM *762*

P6-4 MEG: Psychiatry

Inherited auditory-cortical abnormalities in twins discordant for schizophrenia
Ahveninen J, Jääskeläinen IP, Osipova D, Huttunen MO, Ilmoniemi RJ, Kaprio J, Lönnqvist J, Manninen M, Pakarinen S, Therman S, Näätänen R, Cannon TD *763*

Impoverished Working Memory Network in Schizophrenia
Aine CJ, Hudson D, Bustillo J, Lauriello J, Rowland L, Lenroot R, Kovacevic S, Stephen J *763*

Paroxysmal MEG Activity in Psychiatric Disorders
Amo C, Quesney LF, Maestú F, Fernández A, Ortiz T *764*

Low Modulation of MEG Alpha Band in OCD during Visual Working Memory Task Suggests Abnormally Active "Baseline Mode"
Ciesielski KT, Hämäläinen MS, Lesnik PG, Geller DA, Parks L, Lundy SL, Ahlfors SP *764*

A Specific Hippocampal Deficit in Schizophrenia
Hanlon FM, Weisend MP, Yeo RA, Huang MX, Thoma RJ, Lee RR, Moses SN, Paulson KM, Petropoulos H, Miller GA, Cañive JM *765*

Neuromagnetic Correlates Of Auditory Hallucinations
Lewine JD, Cañive JM, Edgar CJ, Davis JT *765*

Epileptiform Activity And Steroid Responsivity In Autism
Lewine JD, Chez M, R Andrews, Mott S, Riviello J, Funke M, Davis JT, Provencal SL, Hill D *766*

Spectro-temporal neuromagnetic and hemodynamic correlates of impaired P50 suppression in schizophrenia
Mathiak K, Ackermann H, Rapp A, Klose U, Kircher TTJ *766*

MEG Reveals Rapid Temporal Processing Impairment In Autism
Cardy JO, Flagg E, Ferrari P, Roberts W, Roberts TPL *767*

A specific reduction in the sustained 40Hz magnetic field power in schizophrenia
Stufflebeam SM, Witzel T, Lin FH, Foxe DM, Spencer K, McCarley RC *767*

Auditory Sensory Gating Deficit and Cortical Thickness in Schizophrenia
Thoma RJ, Sanchez N, Hanlon FM, Weisend MP, Huang M, Miller GA, Canive JM *768*

P6-5 Transcranial magnetic stimulation

Determination of multi-coil currents considering mutual coupling effects in transcranial magnetic stimulation
Han BH, Jeon CI, Jin SO, Kim KU, Huh Y, Lee SY *769*

Quantitative Results concerning Effects of Repetitive Transcranial Magnetic Stimulation on Mesoscopic Brain Activity
Holzner OT, Schoell E *771*

Optimum Coil Configuration in Magnetic Stimulation Therapy for Urinary Incontinence
Odagaki M, Suga K, Sasaki T, Hosaka H *773*

Numerical Calculation of Eddy Currents in Transcranial Magnetic Stimulation for Psychiatric Treatment
Sekino M, Ueno S *775*

Cutaneous Sensation Block Induced by Navigated Brain Stimulation of SI
Hannula H, Ylioja S, Pertovaara A, Korvenoja A, Ruohonen J, Ilmoniemi RJ, Carlson S *777*

Response Map of Evoked EEG by Transcranial Magnetic Stimulation
Iramina K, Maeno T, Ueno S *777*

Associative plasticity of the motor cortex induced by movement-related transcranial magnetic stimulation (TMS)
Ueki Y, Mima T, Kotb MA, Toma K, Fukuyama H, Nagamine T *778*

Author index 779